
Anti-CD100 antibody



Description Rabbit polyclonal to CD100.

Model STJ96624

Host Rabbit

Reactivity Human, Mouse, Rat

Applications ELISA, WB

Immunogen Synthesized peptide derived from human CD100.

Immunogen Region 51-100 aa, N-terminal

Gene ID 10507

Gene Symbol SEMA4D

Dilution range WB 1:500-1:2000ELISA 1:20000

Specificity CD100 Polyclonal Antibody detects endogenous levels of CD100 protein.

Tissue Specificity Strongly expressed in skeletal muscle, peripheral blood lymphocytes, spleen,

and thymus and also expressed at lower levels in testes, brain, kidney, small intestine, prostate, heart, placenta, lung and pancreas, but not in colon and

liver.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Semaphorin-4D A8 BB18 GR3 CD antigen CD100

Molecular Weight 95 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links HGNC:107320MIM:601866

Alternative Names Semaphorin-4D A8 BB18 GR3 CD antigen CD100

Function Cell surface receptor for PLXN1B and PLXNB2 that plays an important role

in cell-cell signaling. Promotes reorganization of the actin cytoskeleton and plays a role in axonal growth cone guidance in the developing central nervous system. Regulates dendrite and axon branching and morphogenesis. Promotes the migration of cerebellar granule cells and of endothelial cells. Plays a role in the immune system; induces B-cells to aggregate and improves their viability (in vitro). Promotes signaling via SRC and PTK2B/PYK2, which then mediates activation of phosphatidylinositol 3-kinase and of the AKT1 signaling cascade. Interaction with PLXNB1 mediates activation of RHOA.

Cellular Localization Cell membrane

St John's Laboratory Ltd

F +44 (0)207 681 2580 **T** +44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com