


Anti-CD241 antibody



Description Rabbit polyclonal to CD241.

Model STJ96649

Host Rabbit

Reactivity Human

Applications ELISA, IHC, WB

Immunogen Synthesized peptide derived from human CD241.

Immunogen Region 1-50 aa, N-terminal

Gene ID 6005

Gene Symbol RHAG

Dilution range WB 1:500-1:2000IHC-P 1:100-300ELISA 1:20000

Specificity CD241 Polyclonal Antibody detects endogenous levels of CD241 protein.

Tissue Specificity Erythrocytes.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Ammonium transporter Rh type A Erythrocyte membrane glycoprotein Rh50

Erythrocyte plasma membrane 50 kDa glycoprotein Rh50A Rhesus blood group family type A glycoprotein Rh family type A glycoprotein Rh type A

glycoprot

Molecular Weight 44 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links HGNC:10006OMIM:180297

Alternative Names Ammonium transporter Rh type A Erythrocyte membrane glycoprotein Rh50

Erythrocyte plasma membrane 50 kDa glycoprotein Rh50A Rhesus blood group family type A glycoprotein Rh family type A glycoprotein Rh type A

glycoprot

Function Associated with rhesus blood group antigen expression. May be part of an

oligomeric complex which is likely to have a transport or channel function in

the erythrocyte membrane . Involved in ammonia transport across the erythrocyte membrane . Seems to act in monovalent cation transport .

Cellular Localization Membrane {ECO:0000269|PubMed:18931342,

 $ECO: 0000269 | PubMed: 22012326 \}. \ Multi-pass \ membrane \ protein.$

Post-translational

Modifications

Glycoylated.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T+44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com