


## Anti-GMF-beta antibody



<b>Description</b>	Rabbit polyclonal to GMF-beta.
--------------------	--------------------------------

<b>Model</b>	STJ96878
<b>Host</b>	Rabbit
<b>Reactivity</b>	Human, Mouse, Rat
<b>Applications</b>	ELISA, IHC, WB
<b>Immunogen</b>	Synthesized peptide derived from human GMF-beta.
<b>Immunogen Region</b>	1-50 aa, Internal
<b>Gene ID</b>	<a href="#">2764</a>
<b>Gene Symbol</b>	<a href="#">GMFB</a>
<b>Dilution range</b>	WB 1:500-1:2000IHC-P 1:100-1:300ELISA 1:20000
<b>Specificity</b>	GMF-beta Polyclonal Antibody detects endogenous levels of GMF-beta protein.
<b>Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Note</b>	For Research Use Only (RUO).
<b>Protein Name</b>	Glia maturation factor beta GMF-beta
<b>Clonality</b>	Polyclonal
<b>Conjugation</b>	Unconjugated
<b>Isotype</b>	IgG

<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Concentration</b>	1 mg/ml
<b>Storage Instruction</b>	Store at -20°C, and avoid repeat freeze-thaw cycles.
<b>Database Links</b>	<a href="#"><u>HGNC:4373</u></a> <a href="#"><u>OMIM:601713</u></a>
<b>Alternative Names</b>	Glia maturation factor beta GMF-beta
<b>Function</b>	This protein causes differentiation of brain cells, stimulation of neural regeneration, and inhibition of proliferation of tumor cells.
<b>Post-translational Modifications</b>	Phosphorylated; stimulated by phorbol ester.

---

**St John's Laboratory Ltd**

**F** +44 (0)207 681 2580  
**T** +44 (0)208 223 3081

**W** <http://www.stjohnslabs.com/>  
**E** [info@stjohnslabs.com](mailto:info@stjohnslabs.com)