

Anti-CD1 antibody





Description CD1 is a protein encoded by the CD1A gene which is approximately 37

kDa. CD1 is localised to the cell membrane. It is involved in

hematopoietic cell lineage, dendritic cells developmental lineage pathway and the innate immune system. This protein falls under the CD1 family of transmembrane glycoproteins which form heterodimers with beta-2-microglobulin. CD1 mediates the presentation of primarily lipid and glycolipid antigens to T-cells. The CD1 family members are thought to differ in their cellular localization and specificity for particular lipid ligands. CD1 is expressed in the blood, skin, heart and lymph nodes. Mutations in the CD1A gene may result in myofibroma. STJ96970 was developed from clone 9H6 and was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. This primary antibody detects endogenous CD1 proteins.

Model STJ96970

Host Mouse

Reactivity Human, Mouse, Rat

Applications IHC

Immunogen Synthetic Peptide

Gene ID 909

Gene Symbol CD1A

Dilution range IHC 1:200

Specificity The antibody detects endogenous CD1 proteins.

Tissue Specificity Expressed on cortical thymocytes, epidermal Langerhans cells, dendritic cells,

on certain T-cell leukemias, and in various other tissues.

Purification The antibody was affinity-purified from mouse ascites by affinity-

chromatography using specific immunogen.

Clone ID 9H6

Note For Research Use Only (RUO).

Protein Name T-cell surface glycoprotein CD1a T-cell surface antigen T6/Leu-6 hTa1

thymocyte antigen CD antigen CD1a

Clonality Monoclonal

Conjugation Unconjugated

Isotype IgG1

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links HGNC:1634OMIM:188370

Alternative Names T-cell surface glycoprotein CD1a T-cell surface antigen T6/Leu-6 hTa1

thymocyte antigen CD antigen CD1a

Function Antigen-presenting protein that binds self and non-self lipid and glycolipid

antigens and presents them to T-cell receptors on natural killer T-cells.

Cellular Localization Cell membrane Membrane raft Endosome membrane. Subject to intracellular

trafficking between the cell membrane and endosomes. Localizes to cell

surface lipid rafts.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com