


Anti-SOX-2 antibody



Description Mouse monoclonal to SOX-2.

Model STJ98396

Host Mouse

Reactivity Human

Applications ELISA, IF, IHC, WB

Immunogen Purified recombinant fragment of human SOX-2 expressed in E. Coli.

Gene ID <u>6657</u>

Gene Symbol SOX2

Dilution range WB 1:500-1:2000IHC 1:200-1:1000IF 1:200-1:1000ELISA 1:10000

Specificity SOX-2 Monoclonal Antibody detects endogenous levels of SOX-2 protein.

Purification Affinity purification

Clone ID 10F10

Note For Research Use Only (RUO).

Protein Name Transcription factor SOX-2

Clonality Monoclonal

Conjugation Unconjugated

Isotype IgG1

Formulation Ascitic fluid containing 0.03% sodium azide.

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links HGNC:111950MIM:184429

Alternative Names Transcription factor SOX-2

Function Transcription factor that forms a trimeric complex with OCT4 on DNA and

controls the expression of a number of genes involved in embryonic development such as YES1, FGF4, UTF1 and ZFP206 . Critical for early embryogenesis and for embryonic stem cell pluripotency. May function as a switch in neuronal development. Downstream SRRT target that mediates the

promotion of neural stem cell self-renewal. Keeps neural cells

undifferentiated by counteracting the activity of proneural proteins and

suppresses neuronal differentiation.

Cellular Localization Nucleus.

Post-translational Modifications Sumoylation inhibits binding on DNA and negatively regulates the FGF4

transactivation.

St John's Laboratory Ltd

F +44 (0)207 681 2580 **T** +44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com