

## Anti-OXER1 antibody (180-260 Internal) (STJ95989)

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Rabbit polyclonal antibody anti-Oxoeicosanoid Receptor 1 (180-260 Internal) is suitable for use in Western Blot,

**Description** Immunohistochemistry, Immunofluorescence, Immunocytochemistry and ELISA research applications.

Applications WB, IHC-P, IF, ICC, ELISA

Host/Source Rabbit

Reactivity Human, Rat, Mouse

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

Concentration 1 mg/mL

Conjugation Unconjugated

**Purification** The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.

**Dilution** WB 1:500-1:2000 Range IHC 1:100-1:300 IF 1:200-1:1000

ELISA 1:10000 Formulation PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.

**Isotype** IgG

**Storage** Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 165140 Gene Symbol OXER1

Uniprot ID OXER1\_HUMAN

Immunogen The antiserum was produced against synthesized peptide derived from human OXER1 at amino acid range 212-261

Immunogen 180-260 Internal


Region
Specificity OXER1 polyclonal antibody (Oxoeicosanoid Receptor 1) binds to endogenous Oxoeicosanoid Receptor 1 at the amino acid region

180-260 Internal.


Immunogen Sequence




Western blot analysis of the lysates from HUVECcells using OXER1 antibody.



Immunofluorescence analysis of MCF7 cells, using OXER1 Antibody. The picture on the right is blocked with the synthesized perticle





Western blot analysis of various cells using TG1019 Polyclonal Antibody