


APTO-253

Chemical Properties

CAS No.:	916151-99-0
Formula:	C22H14FN5
Molecular Weight:	367.38
Appearance:	N/A
Storage:	0-4°C for short term (days to weeks), or -20°C for long term (months).



Biological Description

Description	APTO-253 inhibits c-Myc expression, stabilizes G-quadruplex DNA, and induces cell cycle arrest and apoptosis in acute myeloid leukemia cells. APTO-253 mediates anticancer activity through the induction of the KLF4 tumor suppressor.
Targets(IC ₅₀)	c-Myc: None
In vitro	APTO-253 (5 μ M) induces KLF4 expression and enhances apoptosis induced by NSC 119875 in both SKOV3 and OVCAR3 cells. APTO-253 (5 μ M) also leads to G1 phase arrest and reduces S and G2/M phase cells in SKOV3 and OVCAR3 cells [1]. APTO-253 is cytotoxic to Raji and Raji/253R cell lines (IC ₅₀ s: 105 nM and 1387 nM). APTO-253 (0.5 μ M) also causes DNA damage in Raji cells. BRCA1/2 deficient cells are hypersensitive to APTO-253. ABCG2 overexpressed HEK-293 cells are resistant to APTO-253 and inhibition of ABCG2 reverses resistance to APTO-253 in Raji/253R [2]. APTO-253 suppresses the proliferation of acute myeloid leukemia (AML) cell lines and various forms of lymphoma cell lines (IC ₅₀ s: 57 nM to 1.75 μ M). APTO-253 (500 nM) also causes G0/G1 cell cycle arrest, induces apoptosis, and down-regulates MYC RNA and protein expression in AML lines. APTO-253 (500 nM) leads to DNA damage response pathways in MV4-11 cells. Furthermore, APTO-253 is a potent stabilizer of G-quadruplex (G4) motifs and demonstrates the greatest propensity for stabilizing the MYC G4 sequences.

Solubility Information

Solubility	DMSO: 32.33 mg/mL(88 mM) (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	--

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.722 mL	13.61 mL	27.22 mL
5 mM	0.544 mL	2.722 mL	5.444 mL
10 mM	0.272 mL	1.361 mL	2.722 mL
50 mM	0.054 mL	0.272 mL	0.544 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. The storage conditions and period of the stock solution: - 80 °C for 6 months; - 20 °C for 1 month. Please use it as soon as possible.

Reference

1. Local A, et al. APTO-253 Stabilizes G-quadruplex DNA, Inhibits MYC Expression, and Induces DNA Damage in Acute Myeloid Leukemia Cells. Mol Cancer Ther. 2018 Jun;17(6):1177-1186.
2. Hongying Zhang, et al. Inhibition of c-Myc By Apto-253 As an Innovative Therapeutic Approach to Induce Cell Cycle Arrest and Apoptosis in Acute Myeloid Leukemia. Blood 2016 128:1716.

[Inhibitors](#) · [Natural Compounds](#) · [Compound Libraries](#)

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use.

Tel:781-999-4286

E-mail:info@targetmol.com

Address:36 Washington Street,Wellesley Hills,MA 02481