Data Sheet (Cat.No.T0228)



Methyl-Hesperidin

Formula:

Chemical Properties

CAS No.: 11013-97-1


Molecular Weight: 624.5871

Appearance: no data available

Storage: keep away from direct sunlight

C29H36O15

Powder: -20°C for 3 years | In solvent: -80°C for 1 year



Biological Description

Description	Methyl Hesperidin, a flavanone glycoside (flavonoid) (C28H34O15), is abundant in citrus fruits. Its aglycone form is called hesperetin.
Targets(IC50)	Akt,PKC
In vivo	Methyl Hesperidin can bind to human serum albumin, with a binding constant between 18 and 34 mM. Long-term carcinogenicity studies have demonstrated that Methyl Hesperidin has no carcinogenic effects on B6C3F1 mice after 96 weeks of feeding. Additionally, Methyl Hesperidin, in conjunction with Hesperidin, can inhibit the phosphorylation of Akt and PKC, resulting in decreased expression of TNF-α-induced VCAM-1.

Solubility Information

Solubility	H2O: insoluble	
	Ethanol: < 1 mg/mL (insoluble or slightly soluble),	
	DMSO: 50 mg/mL (80.05 mM), Sonication is recommended.	
	(< 1 mg/ml refers to the product slightly soluble or insoluble)	

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	1.6011 mL	8.0053 mL	16.0105 mL
5 mM	0.3202 mL	1.6011 mL	3.2021 mL
10 mM	0.1601 mL	0.8005 mL	1.6011 mL
50 mM	0.032 mL	0.1601 mL	0.3202 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Page 1 of 2 www.targetmol.com

Reference

Nizamutdinova IT, et al. Int Immunopharmacol, 2008, 8(5), 670-678. Li J, et al. Spectrochim Acta A Mol Biomol Spectrosc, 2013, 102, 200-204. Kurata Y, et al. Food Chem Toxicol, 1990, 28(9), 613-618.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481

Page 2 of 2 www.targetmol.com