# Data Sheet (Cat.No.T11292)



#### FKBP12 PROTAC dTAG-7

### **Chemical Properties**


CAS No.: 2064175-32-0

Formula: C63H79N5O19

Molecular Weight: 1210.32

Appearance: no data available

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year



# **Biological Description**

| Description   | FKBP12 PROTAC dTAG-7 (dTAG-7) is a heterobifunctional compound that selectively degrades the BET bromodomain transcriptional co-activator BRD4 by linking BET bromodomains to the E3 ubiquitin ligase CRBN. It also functions as a degrader of FKBP12F36V when FKBP12F36V is expressed in-frame with a targeted protein. |
|---------------|--|
| Targets(IC50) | Epigenetic Reader Domain,PROTACs   |

## **Preparing Stock Solutions**

|       | 1mg       | 5mg       | 10mg      |  |
|-------|-----------|-----------|-----------|--|
| 1 mM  | 0.8262 mL | 4.1311 mL | 8.2623 mL |  |
| 5 mM  | 0.1652 mL | 0.8262 mL | 1.6525 mL |  |
| 10 mM | 0.0826 mL | 0.4131 mL | 0.8262 mL |  |
| 50 mM | 0.0165 mL | 0.0826 mL | 0.1652 mL |  |

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

#### Reference

Nabet B, et al. The dTAG system for immediate and target-specific protein degradation. Nat Chem Biol. 2018 May; 14(5):431-441.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only. Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481

Page 1 of 1 www.targetmol.com