


Acetyl-L-carnitine hydrochloride

Chemical Properties

CAS No. :	5080-50-2
Formula:	C ₉ H ₁₈ ClNO ₄
Molecular Weight:	239.7
Appearance:	no data available
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year



Biological Description

Description	Acetyl-L-carnitine hydrochloride (Acetyl L-carnitine hydrochloride) is a nutritional supplement composed of the hydrochloride salt form of the acetylated form of the endogenously produced L-carnitine, with potential neuroprotective, cognitive-enhancing, anti-depressive and immunomodulating activities. It may also relieve peripheral neuropathy induced by chemotherapy, diabetes or other diseases. In addition, acetyl-L-carnitine may modulate the immune response by increasing T-lymphocytes maturation and may downregulate pro-inflammatory cytokines in response to viruses, such as SARS-CoV-2. It may also disrupt the ACE2 signaling pathway and inhibit the production of reactive oxygen species (ROS).
Targets(IC50)	Endogenous Metabolite

Solubility Information

Solubility	DMSO: 30 mg/mL (125.16 mM), Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	---

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	4.1719 mL	20.8594 mL	41.7188 mL
5 mM	0.8344 mL	4.1719 mL	8.3438 mL
10 mM	0.4172 mL	2.0859 mL	4.1719 mL
50 mM	0.0834 mL	0.4172 mL	0.8344 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

- Stephens, F., Constantin-Teodosiu, D., & Greenhaff, P. (2007). New insights concerning the role of carnitine in the regulation of fuel metabolism in skeletal muscle. *The Journal Of Physiology*, 581(2), 431-444. doi: 10.1113/jphysiol.2006.125799
- Wang, S., Han, C., Lee, S., Patkar, A., Masand, P., & Pae, C. (2014). A review of current evidence for acetyl-L-carnitine in the treatment of depression. *Journal Of Psychiatric Research*, 53, 30-37. doi: 10.12016/j.jpsychires.2014.02.2005
- Cuccurazzu, B., Bortolotto, V., Valente, M., Ubezio, F., Koverech, A., Canonico, P., & Grilli, M. (2013). Upregulation of mGlu2 Receptors via NF- κ B p65 Acetylation Is Involved in the Proneurogenic and Antidepressant Effects of Acetyl-L-Carnitine. *Neuropsychopharmacology*, 38(11), 2220-2230. doi: 10.1038/npp.2013.121

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only. Not for Human or Veterinary or Therapeutic Use

Tel: 781-999-4286 E_mail: info@targetmol.com Address: 36 Washington Street, Wellesley Hills, MA 02481