


Dehydrocorydaline nitrate

Chemical Properties

CAS No. :	13005-09-9
Formula:	C ₂₂ H ₂₄ N ₂ O ₇
Molecular Weight:	428.44
Appearance:	no data available
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year



Biological Description

Description	1. Dehydrocorydaline(DHC) not only inhibits antibody-mediated allergic reactions but also influences cell-mediated allergic reactions, and the inhibitory effect of Corydalis Tuber on allergic reactions may be partially attributed to DHC. 2. Dehydrocorydaline can inhibit elevated mitochondrial membrane potential in lipopolysaccharide-stimulated macrophages. 3. Dehydrocorydaline has antinociceptive effects in mouse models of inflammatory pain, the effects involve the opioid receptor and inflammatory cytokines. 4. Dehydrocorydaline has anti-inflammatory activity.
Targets(IC50)	Bcl-2 Family,Caspase,Parasite,Autophagy,p38 MAPK,PARP

Solubility Information

Solubility	DMSO: 27.5 mg/mL (64.19 mM),Sonication is recommended. Chloroform, Dichloromethane, Ethyl Acetate, Acetone, etc.: Soluble, (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	--

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.334 mL	11.6702 mL	23.3405 mL
5 mM	0.4668 mL	2.334 mL	4.6681 mL
10 mM	0.2334 mL	1.167 mL	2.334 mL
50 mM	0.0467 mL	0.2334 mL	0.4668 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

Ishiguro K , Ando T , Maeda O , et al. Dehydrocorydaline inhibits elevated mitochondrial membrane potential in lipopolysaccharide-stimulated macrophages[J]. International Immunopharmacology, 2011, 11(9):0-1367.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481