

Methiothepin maleate


Chemical Properties

CAS No. : 19728-88-2

Formula: C₂₄H₂₈N₂O₄S₂

Molecular Weight: 472.62

Appearance: no data available

Storage: store at low temperature
Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Biological Description

Description	Methiothepin maleate (Metitepine) is a 5-HT ₁ , 5-HT ₆ , 5-HT ₇ serotonin receptor antagonist, which blocks serotonin autoreceptors.
Targets(IC ₅₀)	5-HT Receptor
In vivo	The intracerebroventricular administration of aftin-4 (3-20 nmol) increased Aβ ₁₋₄₂ , but not Aβ ₁₋₄₀ , content in the mouse hippocampus, between 5 and 14 days after injection. Aftin-4 injection increased lipid peroxidation levels in the hippocampus, an index of oxidative stress.

Solubility Information

Solubility	DMSO: 100 mM, Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	---

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.1159 mL	10.5793 mL	21.1586 mL
5 mM	0.4232 mL	2.1159 mL	4.2317 mL
10 mM	0.2116 mL	1.0579 mL	2.1159 mL
50 mM	0.0423 mL	0.2116 mL	0.4232 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

Knight J A, etal. Pharmacological analysis of the novel, rapid, and potent inactivation of the human 5-Hydroxytryptamine₇ receptor by risperidone, 9-OH-Risperidone, and other inactivating antagonists[J]. Molecular Pharmacology, 2009, 75(2):374-380.

Rizviä E, etal. Atypical sympathomimetic drug lerimazoline mediates contractile effects in rat aorta predominantly by 5-HT_{2A} receptors[J]. Bosn J Basic Med Sci, 2017, 17(3):194-202.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only. Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481