


DIM-C-pPhOCH<sub>3</sub>

## Chemical Properties

CAS No. :	33985-68-1
Formula:	C <sub>24</sub> H <sub>20</sub> N <sub>2</sub> O
Molecular Weight:	352.43
Appearance:	no data available
Storage:	Powder: -20°C for 3 years   In solvent: -80°C for 1 year



## Biological Description

Description	DIM-C-pPhOCH <sub>3</sub> (C-DIM5) is a Nerve Growth Factor-Induced B $\alpha$ (NGFI-B $\alpha$ , Nur77) agonist
Targets(IC <sub>50</sub> )	Others
In vitro	Induces apoptosis in cancer cell lines in vitro.

## Solubility Information

Solubility	DMSO: 35.24 mg/mL (99.99 mM), Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	---

## Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.8374 mL	14.1872 mL	28.3744 mL
5 mM	0.5675 mL	2.8374 mL	5.6749 mL
10 mM	0.2837 mL	1.4187 mL	2.8374 mL
50 mM	0.0567 mL	0.2837 mL	0.5675 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

## Reference

Bridi MS, et al. Pharmacological Activators of the NR4A Nuclear Receptors Enhance LTP in a CREB/CBP-Dependent Manner. *Neuropsychopharmacology*. 2017 May;42(6):1243-1253.

Chintharlapalli S, et al. Activation of Nur77 by selected 1,1-Bis(3'-indolyl)-1-(p-substituted phenyl)methanes induces apoptosis through nuclear pathways. *J Biol Chem*. 2005 Jul 1;280(26):24903-14.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286    E\_mail:info@targetmol.com    Address:36 Washington Street,Wellesley Hills,MA 02481