

Nicastrin Protein, Mouse, Recombinant (hFc)

General Information

Synonyms:	Aph2;AA727311;Nct;NCSTN;nicastrin;mKIAA0253;D1Dau13e;9430068N19Rik;Kiaa0253
Protein Construction:	A DNA sequence encoding the mouse NCSTN (P57716) (Met1-Glu668) was expressed, fused with the Fc region of human IgG1 at the C-terminus. Predicted N terminal: Gly 28
Species:	Mouse
Expression Host:	HEK293 Cells
Accession:	P57716
Molecular Weight:	98.5 kDa (predicted); 117 kDa (reducing condition, due to glycosylation)

QC Testing

Biological Activity:	Activity testing is in progress. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Purity:	> 95 % as determined by SDS-PAGE
Endotoxin:	< 1.0 EU/μg of the protein as determined by the LAL method.
Formulation:	Lyophilized from a solution filtered through a 0.22 μm filter, containing PBS, pH 7.4. Typically, a mixture containing 5% to 8% trehalose, mannitol, and 0.01% Tween 80 is incorporated as a protective agent before lyophilization.

Preparation and Storage

Reconstitution:

A Certificate of Analysis (CoA) containing reconstitution instructions is included with the products. Please refer to the CoA for detailed information.

Stability & Storage:

It is recommended to store recombinant proteins at -20°C to -80°C for future use. Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Shipping:

In general, Lyophilized powders are shipping with blue ice.

Protein Background

Nicastrin (NCST, or NCT), a single-pass membrane glycoprotein that harbors a large extracellular domain, is an essential component of the gamma-secretase complex. Several lines of evidence indicate that the members of these complexes could also contribute to the control of cell death. NCT controls cell death via phosphoinositide 3-kinase/Akt and p53-dependent pathways and that this function remains independent of the activity and molecular integrity of the gamma-secretase complexes. Increasing pieces of evidence have shown that

Nicastrin/NCSTN plays a crucial role in gamma-cleavage of the amyloid precursor protein (APP). The glycoprotein Nicastrin is an essential component of the gamma-secretase complex, a high molecular weight complex that also contains the presenilin proteins, Aph-1 and Pen-2. The gamma-secretase complex is not only involved in APP processing but also in the processing of an increasing number of another type I integral membrane proteins. As the largest subunit of the gamma-secretase complex, Nicastrin plays a crucial role in its activation. Inhibition of NCSTN demonstrated an altered gamma-cleavage activity, suggesting its potential implication in developing Alzheimer's disease (AD). Besides, Nicastrin can function to maintain epithelial to mesenchymal transition during breast cancer progression. Anti-nicastrin polyclonal and monoclonal antibodies were able to decrease notch1 and vimentin expression and reduced the invasive capacity of breast cancer cells in vitro.

Reference

He G, et al. (2007) Degradation of nicastrin involves both proteasome and lysosome. *J Neurochem.* 101(4): 982-92.

Ma Z, et al. (2009) Association between promoter polymorphisms of the nicastrin gene and sporadic Alzheimer's disease in North Chinese Han population. *Neurosci Lett.* 458(3): 136-9.

Hayashi I, et al. (2009) Single chain variable fragment against nicastrin inhibits the gamma-secretase activity. *J Biol Chem.* 284(41): 27838-47.

Pardossi-Piquard R, et al. (2009) p53-dependent control of cell death by nicastrin: lack of requirement for presenilin-dependent gamma-secretase complex. *J Neurochem.* 109(1): 225-37.

Filipović A, et al. (2011) Biological and clinical implications of nicastrin expression in invasive breast cancer. *Breast Cancer Res Treat.* 125(1): 43-53.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_email:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481