# Data Sheet (Cat.No.TP1324)



## Melanotan (MT)-II

### **Chemical Properties**

CAS No.: 121062-08-6


Formula: C50H69N15O9

Molecular Weight: 1024.18

Appearance: no data available

keep away from moisture

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year



#### **Biological Description**

| Description   | Melanotan (MT)-II, a synthetic melanocortin receptor agonist, is an analogue of the peptide hormone $\alpha$ -melanocyte-stimulating hormone ( $\alpha$ -MSH).  |  |  |  |
|---------------|---|--|--|--|
| Targets(IC50) | Melanocortin Receptor   |  |  |  |
| In vitro      | Melanotan-II (MT-II) acts as a powerful, non-selective agonist targeting melanocortin receptors (MC1, MC3, MC4, and MC5), which play crucial roles in various physiological systems including pigmentation, energy balance, sexual health, immune response, inflammation, and cardiovascular function[1].   |  |  |  |
| In vivo       | Melanotan (MT)-II functions as a potent inducer of penile erection, demonstrating dose-dependent activity. It reduces the time until the first erectile event and enhances erectile responses following cavernous nerve stimulation. Research indicates that at a dosage of 1 mg/kg intravenously, MT-II facilitates erection by increasing the erectile response. Additionally, MT-II has been shown to possess neuroprotective qualities and promote peripheral nerve regeneration, particularly highlighted by its significant enhancement of sensory function recovery in rats after sciatic nerve damage when administered at 20 µg/kg every 48 hours subcutaneously. In cases of erectile dysfunction in men, MT-II has |  |  |  |
| (0)           | proven to be an effective initiator of penile erection. Beyond its effects on erectile and sensory functions, MT-II also impacts metabolic parameters, notably reducing food intake and body weight, while inducing thermogenic responses in mouse models.  |  |  |  |

### **Solubility Information**

| Solubility | DMSO: 10 mM,Sonication is recommended.                          |  |  |
|------------|---|--|--|
|            | (< 1 mg/ml refers to the product slightly soluble or insoluble) |  |  |

Page 1 of 2 www.targetmol.com

#### **Preparing Stock Solutions**

|       | 1mg       | 5mg       | 10mg      |
|-------|-----------|-----------|-----------|
| 1 mM  | 0.9764 mL | 4.882 mL  | 9.7639 mL |
| 5 mM  | 0.1953 mL | 0.9764 mL | 1.9528 mL |
| 10 mM | 0.0976 mL | 0.4882 mL | 0.9764 mL |
| 50 mM | 0.0195 mL | 0.0976 mL | 0.1953 mL |

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

#### Reference

Breindahl T, et al. Identification and characterization by LC-UV-MS/MS of melanotan II skin-tanning products sold illegally on the Internet. Drug Test Anal. 2015 Feb;7(2):164-72.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481

Page 2 of 2 www.targetmol.com