

PKC ζ pseudosubstrate acetate


Chemical Properties

CAS No. :

Formula: C78H132N30O18

Molecular Weight: 1778.10

Appearance: Solid

Storage: keep away from moisture
Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Biological Description

Description	PKC ζ pseudosubstrate acetate is an inhibitor of protein kinase C (PKC) ζ ; attached to cell permeabilisation Antennapedia domain vector peptide. Consists of amino acids 113 - 129 of PKC ζ pseudosubstrate domain linked by a disulphide bridge to the Antennapedia domain vector peptide. The Antennapedia peptide is actively taken up by intact cells, at 4 or 37°C, ensuring rapid and effective uptake of the inhibitor peptide. Once inside the cell, the disulphide bonds are subjected to reduction in the cytoplasm leading to release of the inhibitor peptide. Induces mast cell degranulation by a PKC ζ -independent pathway.
Targets(IC50)	PKC

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	0.5624 mL	2.812 mL	5.624 mL
5 mM	0.1125 mL	0.5624 mL	1.1248 mL
10 mM	0.0562 mL	0.2812 mL	0.5624 mL
50 mM	0.0112 mL	0.0562 mL	0.1125 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

Laudanna et al (1998) Evidence of ζ protein kinase C involvement in polymorphonuclear neutrophil integrin-dependent adhesion and chemotaxis. J.Biol.Chem 273 30306 PMID:

Lim et al (2008) A myristoylated pseudosubstrate peptide of PKC- ζ induces degranulation in HMC-1 cells independently of PKC- ζ activity. Life Sci. 82 733 PMID:

Theodore et al (1995) Intraneuronal delivery of protein kinase C pseudosubstrate leads to growth cone collapse. J. Neurosci. 15 7158 PMID:

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481