

DATA SHEET

Product Name: Beta-Amyloid (1-40), Aggregation Kit

Catalog #: A-1180

Source: Recombinant. A DNA sequence encoding the human beta-amyloid (1-40)

sequence was expressed in E. coli

Molecular Mass: 4,329 Da theoretical

Protein Purity: >97% by Mass Spec.

Counter Ion: NH₄OH

Supplied As: Peptide: white lyophilized powder, aggregation components: liquid

 Resuspend the peptide in 5mM Tris or 10mM NaOH, at a concentration of 1 ma/ml

2. Typical preparation for a 100µM peptide concentration within a 750uL reaction volume:

• 325µL of Beta-Amyloid (1-40) Peptide

350µL of HPLC Water

75µL of 10X TBS pH 7.4

3. rPeptide recommended protocol: Incubate the sample at 37° C for 3 hours taking thioflavin readings at every 15 minutes. The fluorescence readings should be done at λ ex=440 nm/20nm; λ em=485 nm/20 nm

*Plates and plate reader are not included within the kit

Storage: -20°C

Beta-amyloid (A-beta) has been long reported as the major constituent of amyloid plaques in the brains of Alzheimer's patients, and is believed by many to be the cause of Alzheimer's Disease (AD). AD is the most common neurodegenerative disease and afflicts more than 10% of the population over 65. Recombinantly expressed and sourced from E. coli, rPeptide's high quality beta-amyloid products offer batch-to-batch consistency and ultrapure starting material for your research needs. The beta-amyloid aggregation kit comes with the NH₄OH counter-ion of the peptide, which is supplied as a stable monomer and can easily form aggregates in most experiments. Such methods can be used to study the kinetics, inhibition, and overall effects aggregation inhibiting compounds.

Description:

Sample Prep:

For research use only. Not for use in humans.



This kit allows researchers to monitor the properties of amyloid aggregation via Thioflavin T fluorescence assay, which also provides a way to test various compounds and methods of preventing aggregation.

1. Yankner, B., et al., (1990) Science, 250: 279-282

2. Stine, W., et al., (2003) J. Biol. Chem, 278: 11612-11622

References: 3. Frank, R., et al., (2003) Neurobiology of Aging, 24: 521-536

4. Selkoe, D.J., (2001) Physiol. Rev, 81: 741-766 5. Benoit, S., (2020) Scientific Reports, 11: 6622

For research use only. Not for use in humans.