

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 293334

NAME: Sodium iodide

SYNONYMS:

24 HOUR EMERGENCY

Within USA/Canada: +1 800-633-8253

TELEPHONE:

Outside USA/Canada: +1 801-629-0667

TO REQUEST AN MSDS: +1 888-535-2444

CUSTOMER

+1 888-535-2444

SERVICE:

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

SKIN IRRITATION (CATEGORY 2), H315

EYE IRRITATION (CATEGORY 2A), H319

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE, ORAL (CATEGORY 1), THYROID, H372

SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION.

H372 CAUSES DAMAGE TO ORGANS (THYROID) THROUGH

PROLONGED OR REPEATED EXPOSURE IF SWALLOWED.

H400 VERY TOXIC TO AQUATIC LIFE.

PRECAUTIONARY STATEMENT(S)

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE

PROTECTION.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY

TO DO. CONTINUE RINSING.

P314 GET MEDICAL ADVICE/ ATTENTION IF YOU FEEL UNWELL.

P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/

ATTENTION.

P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/

ATTENTION.

P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE

REUSE.

NONE

P391 COLLECT SPILLAGE.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: NaI

MW: 149.89

CAS-NO. 7681-82-5

PURITY: $\geq 99.5\%$ (Assay by titration)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Sodium iodide		
	SKIN IRRIT. 2; EYE IRRIT. 2A; STOT RE 1; AQUATIC ACUTE 1; H315, H319, H372, H400 M-FACTOR - AQUATIC ACUTE: 1	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT

BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A

PHYSICIAN.

IN CASE OF SKIN

CONTACT

WASH OFF WITH SOAP AND PLENTY OF WATER.

CONSULT A PHYSICIAN.

IN CASE OF EYE

CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND

SPECIAL TREATMENT

NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS

ARISING FROM THE

SUBSTANCE OR MIXTURE

HYDROGEN IODIDE, SODIUM OXIDES

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO

DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE,

CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER

SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER

PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL

PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE

STORAGE, INCLUDING

ANY

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

INCOMPATIBILITIES AIR, LIGHT, AND MOISTURE SENSITIVE.

Store at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	

Sodium iodide	7681-82-5	TWA	0.01 PPM	USA. ACGIH THRESHOLD
				LIMIT VALUES (TLV)
	REMARKS	UPPER RESPIRATORY TRACT IRRITATION		
		HYPOTHYROIDISM		
		ADOPTED VALUES OR NOTATIONS ENCLOSED ARE		
		THOSE FOR WHICH CHANGES ARE PROPOSED IN THE NIC		
		SEE NOTICE OF INTENDED CHANGES (NIC)		
		NOT CLAS	SIFIABLE AS	S A HUMAN CARCINOGEN VARIES

EXPOSURE CONTROLS

APPROPRIATE HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL ENGINEERING HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR

EYE PROTECTION TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY

PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER

SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER

FROM EN 374, CONTACT THE SUPPLIER OF THE CE

APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE

SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING

AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC

WORKPLACE.

RESPIRATORY WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING **PROTECTION** RESPIRATORS ARE APPROPRIATE USE A FULLFACE

PARTICLE RESPIRATOR TYPE N99 (US) OR TYPE P2 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF

PROTECTION, USE A FULL-FACE SUPPLIED AIR

RESPIRATOR. USE RESPIRATORS AND COMPONENTS

TESTED AND APPROVED UNDER APPROPRIATE

GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN

(EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE

INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White crystalline powder

ODOUR ODOURLESS

ODOUR THRESHOLD NO DATA AVAILABLE

PH 8.2 AT 26 C MELTING 651 °C (Approx.)

POINT/FREEZING POINT

INITIAL BOILING POINT 1304 °C

AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE

FLAMMABILITY (SOLID, THE PRODUCT IS NOT FLAMMABLE.

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE CA.1 HPA AT 767 C VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 3.667 g/ml

WATER SOLUBILITY 165 G/L AT 25 C

PARTITION COEFFICIENT: LOG POW: -1.3 AT 25 C - BIOACCUMULATION IS NOT

N- OCTANOL/WATER EXPECTED.

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NOT APPLICABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

SOLUBILITY IN OTHER ALCOHOL AT 20 C SOLUBLE

SOLVENTS ACETONE AT 20 C DISSOCIATION 0.06 AT 25 C

CONSTANT

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS

NO DATA AVAILABLE

CONDITIONS TO AVOID EXPOSURE TO LIGHT MAY AFFECT PRODUCT QUALITY.

AIR SENSITIVE.

INCOMPATIBLE OXIDIZING AGENTS, STRONG ACIDS, BROMINE

MATERIALS TRIFLUORIDE

HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - HYDROGEN IODIDE, SODIUM

OXIDES

OTHER DECOMPOSITION PRODUCTS - NO DATA

AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 4,340 MG/KG

REMARKS: (ECHA)

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN SKIN RABBIT

CORROSION/IRRITATION RESULT: IRRITATING TO SKIN. - 24 H

(DRAIZE TEST) REMARKS: (ECHA)

SERIOUS EYE EYES RABBIT

DAMAGE/EYE IRRITATION RESULT: CAUSES SERIOUS EYE IRRITATION. - 24 H

(DRAIZE TEST) REMARKS: (ECHA)

RESPIRATORY OR SKIN

SENSITISATION

NO DATA AVAILABLE

GERM CELL NO DATA AVAILABLE **MUTAGENICITY**

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST

OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED

EXPOSURE

INGESTION - CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. - THYROID

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

REPEATED DOSE TOXICITY - RAT - MALE AND FEMALE -

ORAL - 100 DAYS - LOWEST OBSERVED ADVERSE

EFFECT LEVEL - 100 MG/KG

(ECHA)

RTECS: WB6475000

PROLONGED EXPOSURE TO IODIDES MAY PRODUCE IODISM IN SENSITIVE INDIVIDUALS. SYMPTOMS OF EXPOSURE INCLUDE: SKIN RASH, RUNNING NOSE, HEADACHE AND IRRITATION OF THE MUCOUS

MEMBRANE. FOR SEVERE CASES THE SKIN MAY SHOW PIMPLES, BOILS, HIVES, BLISTERS AND BLACK AND BLUE SPOTS. IODIDES ARE READILY DIFFUSED ACROSS

THE PLACENTA. NEONATAL DEATHS FROM

RESPIRATORY DISTRESS SECONDARY TO GOITER HAVE BEEN REPORTED. IODIDES HAVE BEEN KNOWN TO CAUSE DRUG-INDUCED FEVERS, WHICH ARE USUALLY

OF SHORT DURATION.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH STATIC TEST LC50 - DANIO RERIO (ZEBRA FISH) - > 100

MG/L - 96 H

TOXICITY TO DAPHNIA AND STATIC TEST EC50 - DAPHNIA MAGNA (WATER FLEA) -

OTHER AQUATIC 0.17 MG/L - 48 H INVERTEBRATES REMARKS: (ECHA)

PERSISTENCE AND DEGRADABILITY

THE METHODS FOR DETERMINING THE BIOLOGICAL DEGRADABILITY ARE NOT APPLICABLE TO INORGANIC

SUBSTANCES.

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL

SAFETY ASSESSMENT NOT REQUIRED/NOT

CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED

IN THE EVENT OF UNPROFESSIONAL HANDLING OR

DISPOSAL.

VERY TOXIC TO AQUATIC LIFE.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

A LICENSED DISPOSAL COMPANY.

CONTAMINATED

PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

NOT DANGEROUS GOODS

IMDG

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Sodium iodide)

UN NUMBER: 3077 CLASS: 9 PACKING GROUP: III

EMS-NO: F-A, S-F MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Sodium iodide)

UN NUMBER: 3077 CLASS: 9 PACKING GROUP: III

FURTHER INFORMATION

EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DEMINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Sodium iodide 7681-82-5

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Sodium iodide 7681-82-5

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION.

H372 CAUSES DAMAGE TO ORGANS (THYROID) THROUGH

PROLONGED OR REPEATED EXPOSURE IF SWALLOWED.

H400 VERY TOXIC TO AQUATIC LIFE.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER

OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)

TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL AFG Bioscience LLC BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF AFG Bioscience LLC HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1. REVISION DATE: 01/27/2017