

DUAL Genomic DNA Isolation Kit (Blood/Cultured Cell/Fungus)

1. IDENTIFICATION OF THE PREPARATION/SUBSTANCE AND OF THE COMPANY

Preparation Name: DUAL Genomic DNA Isolation Kit (Blood/Cultured Cell/Fungus)

Catalogue number of the product: PDC02-0100

Use of the preparation: For laboratory use.

Suitable as the stain for preparing DNA ladders and samples for loading on the agarose or polyacrylamide gels.

Company identification: BIO-HELIX Co.,LTD.

Site: <http://www.bio-helix.com>

E-mail: info@bio-helix.com

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredients:

Component 1:

Buffer RL, Buffer CL: 0.1-5% Edetic Acid; CAS-No. 6381-92-6

Component 2:

Buffer PO, Buffer CL: 0.5-2% Sodium Dodecyl Sulphate; CAS-No. 151-21-3

Component 3:

Buffer BD, Buffer W1, Buffer PO: 5-10% Guanidine Hydrochloride; CAS-No. 50-01-1

Component 4:

Buffer W2, Buffer E, Proteinase K, RNase A: No hazardous substances in concentrations to be declared

Other components:

Components not listed here are not dangerous or their concentrations do not exceed the limits specified in the EU directive 1999/45/EC.

3. HAZARD IDENTIFICATION

Edetic Acid:

Warning! Causes respiratory tract irritation. Causes eye and skin irritation. May cause kidney damage. May cause reproductive and fetal effects.

Target Organs: Kidneys, eyes, skin.

Potential Health Effects

Eye: Causes eye irritation. Causes redness and pain.

Skin: Causes skin irritation. Causes redness and pain.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Ingestion of large amounts can cause hypocalcemic tetany due to formation of calcium complexes.

Exposure may cause kidney injury, muscle cramps, bone-marrow depression, and a generalized allergic reaction. Ingestion of large quantities may cause appreciable systemic toxicity involving blood chemistry changes due to chelation properties.

Inhalation: Causes irritation of the mucous membrane and upper respiratory tract. Chronic: May cause reproductive and fetal effects. Laboratory experiments have resulted in mutagenic effects.

Chronic exposure may cause kidney damage.

Sodium Dodecyl Sulphate:

WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN OR RESPIRATORY REACTION. FLAMMABLE SOLID.

Material Safety Data Sheet

Health Rating: 1 - Slight

Flammability Rating: 3 - Severe (Flammable)

Reactivity Rating: 1 - Slight

Contact Rating: 3 - Severe (Life)

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER

GLOVES Storage Color Code: Red (Flammable)

Potential Health Effects Inhalation:

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath.

May cause allergic reaction in sensitive individuals.

Ingestion:

Large doses may cause gastrointestinal distress, nausea and diarrhea.

Skin Contact:

Mildly irritating to skin, causes dryness and a rash on continued exposure. May cause allergic skin reactions.

Eye Contact:

Causes irritation, redness, and pain.

Chronic Exposure:

Chronic exposure may cause skin effects.

Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or impaired respiratory function may be more susceptible to the effects of the substance.

Guanidine Hydrochloride:

WARNING! CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. HARMFUL IF SWALLOWED OR INHALED.

Health Rating: 2 - Moderate

Flammability Rating: 1 - Slight

Reactivity Rating: 0 - None

Contact Rating: 2 - Moderate

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER

GLOVES Storage Color Code: Green (General Storage)

Potential Health Effects Inhalation:

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath.

Ingestion:

Toxic. May cause neurological disturbances. Causes irritation to the gastrointestinal tract. Symptoms may include nausea, vomiting and diarrhea.

Skin Contact:

Causes irritation to skin. Symptoms include redness, itching, and pain.

Eye Contact:

Causes irritation, redness, and pain.

4. FIRST-AID MEASURES

Edetic Acid:

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Material Safety Data Sheet

Ingestion: Never give anything by mouth to an unconscious person. Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid. Notes to Physician: Treat symptomatically and supportively.

Sodium Dodecyl Sulphate:

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Give large amounts of water to drink. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact:

Immediately flush skin with plenty of soap and water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Guanidine Hydrochloride:

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Extinguishing media: No restriction. Decomposition: Dangerous decomposition is not anticipated.

6. ACCIDENTAL RELEASE MEASURES

Actions to be taken on spillage:

Dilute spilled liquids with plenty of water and adsorb.

Absorbent material: No restriction.

Actions to be taken to limit

Damage: Special measures to limit damage are not necessary.

Material Safety Data Sheet

7. HANDLING AND STORAGE

Handling: Open and handle vessels carefully.

Storage: Store at room temperature other than RNase A (-20°C)

Storage Procedures: Do not store together with acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection: No personal respiratory protective equipment normally required. Eye protection: Safety glasses

Hand protection: One-way gloves

Hygiene measures: Wash hands before and after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Buffer RL

Form: liquid

Miscibility with water:

immiscible pH : 8.0

Buffer CL

Form: liquid

Miscibility with water:

immiscible pH : 8.5

Buffer BD

Form: liquid

Miscibility with water:

immiscible pH : 4.5

Buffer PO

Form: liquid

Miscibility with water:

immiscible pH : 5.5

Buffer W1

Form: liquid

Miscibility with water:

immiscible pH : 7.0

Buffer W2

Form: liquid

Miscibility with water:

immiscible pH : 7.5

Buffer E

Form: liquid

Miscibility with water:

immiscible pH : 8.5

RNase A

Form: liquid

Miscibility with water: readily

miscible pH : 7.5

Proteinase K

Form: Solid

Solubility: soluble

pH : unavailable

Material Safety Data Sheet

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: Reacts with alkalis and oxidizing agents.

Hazardous Decomposition Products: Danger of toxic pyrolysis products.

11. TOXICOLOGICAL INFORMATION

Buffer W2, Buffer CL

Edetic Acid

Oral toxicity: LD50 rat 2.000 mg/kg

Toxicity (others): LD50 oral rabbit 2.300 mg/kg

LD50 (intravenous, mouse) 56 mg/kg

Buffer PO, Buffer CL

Sodium Dodecyl Sulphate,

Oral toxicity: LD50 rat 1.288 mg/kg

Buffer BD, Buffer W1, Buffer PO

Guanidine Hydrochloride

Oral toxicity: LD50 rat 475 mg/kg

Toxicity (inhalation): LD50 rat 5.3 mg/l (4 h)

Toxicity (others): LD50 intra peritoneal mouse 500 mg/kg

12. ECOLOGICAL INFORMATION

Water hazard class: 2 (hazardous to water and ground)

13. DISPOSAL CONSIDERATIONS

Waste disposal route: Used reagent can be disposed in accordance with local regulations.

Disposal of empty packaging: Dispose of empty packs by local recycling or waste disposal routes.

Clean thoroughly prior to disposal.

14. TRANSPORT INFORMATION

DOT regulations:

Hazard class: -

Land transport ADR/RID (cross-border):

ADR/RID class: -

Maritime transport IMDG:

IMDG Class: -

Marine pollutant: No

Air transport ICAO-TI and IATA-DGR

ICAO/IATA Class: -

15. REGULATORY INFORMATION

SARA (Superfund and Reauthorization Act)

Section 355 (extremely hazardous substances): None of the ingredients are listed.

Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All ingredients are listed.

Proposition 65

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity: None of the ingredients are listed.

Material Safety Data Sheet

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. PureDireX (Bio-Helix) shall not be held liable for any damage resulting from handling or from contact with the above product.