

## SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Product Name: Aluminum trimethyl 25% solution in hexane

Product Code: A16630

Supplier: Pfaltz & Bauer, Inc.  
172 E. Aurora Street  
Waterbury, CT 06708 USA

Phone: 203-574-0075

FAX: 203-574-3181

Emergency Phone: INFOTRAC, US: 1-800-535-5053  
INFOTRAC, INTERNATIONAL: +1-352-323-3500

## SECTION 2: HAZARDS IDENTIFICATION

Statement of Hazard: Aspiration hazard, Corrosive, Dangerous when wet, Environmentally hazardous, Flammable liquid, Irritant, Narcotic effects , Pyrophoric, Reacts violently with water

Acute Health Hazard: Not Available

Chronic Health Hazard: Target organ effect, Teratogen

HMIS Rating: H: 3      F: 3      P: 2

NFPA Rating: H: 3      F: 3      R: 2

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):  
GHS Classification in accordance with Regulation (EC) No 1272/2008:

Acute toxicity, dermal (Category 4), H312  
Aspiration hazard (Category 1), H304  
Flammable liquids (Category 2), H225  
Hazardous to the aquatic environment, chronic toxicity (Category 2), H411  
Pyrophoric liquids ; Pyrophoric solids (Category 1), H250  
Reproductive toxicity (Category 2), H361  
Skin corrosion/irritation (Category 1A), H314  
Specific target organ toxicity, repeated exposure (Category 2), H373  
Specific target organ toxicity, single exposure; Narcotic effects (Category 3), H336  
Substances and mixtures which, in contact with water, emit flammable gases (Category 1), H260

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

H225 Highly flammable liquid and vapor.  
H250 Catches fire spontaneously if exposed to air.  
H260 In contact with water releases flammable gases which may ignite spontaneously.  
H304 May be fatal if swallowed and enters airways.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H336 May cause drowsiness or dizziness.  
H361 Suspected of damaging fertility or the unborn child.  
H373 Causes damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long-lasting effects.

Precautionary Statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P222 Do not allow contact with air.  
P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.  
P231+P232 Handle under inert gas. Protect from moisture.  
P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P312 IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

Supplemental Statement(s):

EUH014 Reacts violently with water

## **SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS**

|                                   |                                           |
|-----------------------------------|-------------------------------------------|
| <u>Chemical Name:</u>             | Aluminum trimethyl 25% solution in hexane |
| <u>Synonyms:</u>                  | Trimethyl aluminide; Trimethylaluminum    |
| <u>CAS Number:</u>                | 75-24-1                                   |
| <u>MDL Number:</u>                | MFCD00008252                              |
| <u>EINECS Number:</u>             | 200-853-0                                 |
| <u>Beilstein Registry Number:</u> | 3587197                                   |
| <u>Molecular Formula:</u>         | Al(CH <sub>3</sub> ) <sub>3</sub>         |
| <u>Molecular Weight:</u>          | 72.09                                     |
| <u>Content:</u>                   | As specified in product name.             |

#### **SECTION 4: FIRST AID MEASURES**

|                      |                                                                                                                                            |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Eye Contact:</u>  | Flush eyes with large amounts of water for fifteen minutes. Separate eyelids with fingers. If irritation persists, seek medical attention. |
| <u>Skin Contact:</u> | Wash skin with soap and water. If irritation persists, seek medical attention.                                                             |
| <u>Ingestion:</u>    | Do not induce vomiting. Seek medical attention.                                                                                            |
| <u>Inhalation:</u>   | Move to a fresh air environment. Contact a physician if breathing becomes difficult.                                                       |

#### **SECTION 5: FIRE FIGHTING MEASURES**

|                                        |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| <u>Flash Point (°C):</u>               | -18                                                                                    |
| <u>Explosion Limits:</u>               | Not Available                                                                          |
| <u>Auto Ignition Temperature (°C):</u> | Not Available                                                                          |
| <u>Extinguishing Media:</u>            | Carbon dioxide, dry chemical powder or alcohol-resistant foam. Do not use water spray. |
| <u>Protective Equipment:</u>           | Wear self-contained respirator and fully protective impervious suit.                   |
| <u>Specific Hazards:</u>               | May emit hazardous fumes under fire conditions. Reacts violently with water.           |

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

|                                  |                                                                                                                                                                                                                                                                                         |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Personal Protection:</u>      | Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and contact proper authorities if needed.<br>Keep unprotected persons away. |
| <u>Environmental Protection:</u> | Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.               |

## SECTION 7: HANDLING and STORAGE

|                                  |                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Handling and Storage:</u>     | Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away.<br>Store in a tightly closed container in a dry, well-ventilated place. Store under inert gas. Store under nitrogen. |
| <u>Sensitivities:</u>            | Air, Moisture                                                                                                                                                                                                                                                                                                                             |
| <u>Storage Temperature (°C):</u> | 15 to 30                                                                                                                                                                                                                                                                                                                                  |

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

|                                |                                                                                                                                                                                                  |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Engineering Controls:</u>   | Use product in a well ventilated area or under a fume hood. Use proper lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction. |
| <u>Eye Protection:</u>         | Wear appropriate protective eyeglass or chemical safety goggles. Make sure that there is an eyewash station in your vicinity.                                                                    |
| <u>Skin Protection:</u>        | Wear impervious gloves and protective clothing.                                                                                                                                                  |
| <u>Respiratory Protection:</u> | Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced.                                                                            |

|                         |                |               |             |                     |
|-------------------------|----------------|---------------|-------------|---------------------|
| <u>Exposure Limits:</u> | <u>Country</u> | <u>Source</u> | <u>Type</u> | <u>Value</u>        |
|                         | USA            | ACGIH         | TWA         | 2 mg/m <sup>3</sup> |
|                         | USA            | OSHA          | STEL        | Not Available       |
|                         | USA            | OSHA          | PEL         | Not Available       |

## SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

|                    |               |
|--------------------|---------------|
| <u>Appearance:</u> | Liquid        |
| <u>Odor:</u>       | Not Available |

|                                            |                             |
|--------------------------------------------|-----------------------------|
| <u>Odor Threshold:</u>                     | Not Available               |
| <u>Flash Point (°C):</u>                   | -18                         |
| <u>Auto Ignition Temperature (°C):</u>     | Not Available               |
| <u>UEL % by Volume:</u>                    | Not Available               |
| <u>LEL % by Volume:</u>                    | Not Available               |
| <u>Melting Point (°C):</u>                 | 15                          |
| <u>Boiling Point (°C):</u>                 | Not Available               |
| <u>Evaporation Rate:</u>                   | Not Available               |
| <u>pH Value:</u>                           | Not Available               |
| <u>Density (g/cm<sup>3</sup>):</u>         | 0.683                       |
| <u>Refractive Index (n<sup>20D</sup>):</u> | Not Available               |
| <u>Viscosity:</u>                          | Not Available               |
| <u>Solubility in Water:</u>                | REACTS VIOLENTLY WITH WATER |
| <u>Solubility in Other:</u>                | Not Available               |
| <u>Vapor Pressure (mmHg):</u>              | Not Available               |
| <u>Vapor Density (Air=1):</u>              | Not Available               |

## SECTION 10: STABILITY and REACTIVITY

|                                          |                                                                                      |
|------------------------------------------|--------------------------------------------------------------------------------------|
| <u>Stability:</u>                        | Stable under normal temperatures and pressures.                                      |
| <u>Incompatibility:</u>                  | Not Available                                                                        |
| <u>Reactivity:</u>                       | Product may react with incompatible materials to release other hazardous substances. |
| <u>Conditions to Avoid:</u>              | Heat, flame, sparks, other ignition sources.                                         |
| <u>Hazardous Decomposition Products:</u> | Aluminum oxides, Carbon oxides                                                       |

## SECTION 11: TOXICOLOGICAL INFORMATION

|                            |                                                                                                                                            |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <u>RTECS Reference:</u>    | Not Available                                                                                                                              |
| <u>Target Organs:</u>      | Peripheral nervous system, Kidney, Testes.                                                                                                 |
| <u>Toxicity Data:</u>      | Not Available                                                                                                                              |
| <u>Carcinogenicity:</u>    | National Toxicology Program (NTP) listed:<br>Not Available<br><br>International Agency for Research on Cancer (IARC) listed: Not Available |
| <u>Potential Symptoms:</u> | Not Available                                                                                                                              |

## SECTION 12: ECOLOGICAL INFORMATION

|                  |               |
|------------------|---------------|
| <u>Toxicity:</u> | Not Available |
|------------------|---------------|

## SECTION 13: DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

## SECTION 14: TRANSPORT INFORMATION

|                            |                                                              |
|----------------------------|--------------------------------------------------------------|
| <u>DOT Shipping Name:</u>  | Organometallic Substance, Liquid, Pyrophoric, Water-Reactive |
| <u>DOT UN Number:</u>      | UN3394                                                       |
| <u>DOT Hazard Class:</u>   | Class 4.2, 4.3                                               |
| <u>DOT Packing Group:</u>  | PGI                                                          |
| <u>IMDG Shipping Name:</u> | Organometallic Substance, Liquid, Pyrophoric, Water-Reactive |
| <u>IMDG UN Number:</u>     | UN3394                                                       |
| <u>IMDG Hazard Class:</u>  | Class 4.2, 4.3                                               |
| <u>IMDG Packing Group:</u> | PGI                                                          |
| <u>Marine Pollutant:</u>   | Yes                                                          |
| <u>IATA Shipping Name:</u> | Organometallic Substance, Liquid, Pyrophoric, Water-Reactive |
| <u>IATA UN Number:</u>     | UN3394                                                       |

IATA Hazard Class: Class 4.2, 4.3

IATA Packing Group: PGI

## **SECTION 15: REGULATORY INFORMATION**

### United States

Toxic Substance Control Act (TSCA) listed: Yes

Superfund Amendments and Reauthorization Act (SARA 302) listed: No

Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No

Superfund Amendments and Reauthorization Act (SARA 313) listed: No

### European Union

European Inventory of Existing Chemical Substances (EINECS): 200-853-0

GHS Classification in accordance with Regulation (EC) No 1272/2008: Yes

### Canada

Canadian Domestic Substances List (DSL) listed: Yes

Canadian Non-Domestic Substances List (NDSL) listed: No

## **SECTION 16: OTHER INFORMATION**

Date Prepared: 6/21/2023

The information above is presented in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty with respect to such information and we assume no liability resulting from its use. The user should consider this information as a supplement to other information that may be available and make independent judgement to ensure proper use to protect the health and safety of employees and the environment. Pfaltz and Bauer shall not be held liable for any damage resulting from handling or from contact with the above product.