



# **SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION**

Product Name:

Calcium granules 99.5% -6 Mesh

Product Code: C00820

- Supplier:Pfaltz & Bauer, Inc.172 E. Aurora StreetWaterbury, CT 06708 USA
- <u>Phone:</u> 203-574-0075
- FAX: 203-574-3181
- Emergency Phone: INFOTRAC, US: 1-800-535-5053 INFOTRAC, INTERNATIONAL: +1-352-323-3500

## **SECTION 2: HAZARDS IDENTIFICATION**

Statement of Hazard: Dangerous when wet, Irritant, Reacts violently with water, Respiratory irritant

- <u>Acute Health Hazard:</u> Irritant to eyes, skin, mucous membranes and respiratory system. May be harmful by ingestion, skin absorption and inhalation.
- Chronic Health Hazard: Not Available


HMIS Rating: H: 0 F: 3 P: 1

<u>NFPA Rating:</u> H: 0 F: 3 R: 1

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

<u>GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):</u> <u>GHS Classification in accordance with Regulation (EC) No 1272/2008:</u> Acute toxicity, dermal (Category 4), H312 Acute toxicity, inhalation (Category 4), H332 Acute toxicity, oral (Category 4), H302 Serious eye damage/eye irritation (Category 2A), H319 Skin corrosion/irritation (Category 2), H315 Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3), H335 Substances and mixtures which, in contact with water, emit flammable gases (Category 2), H261

Pictogram:



# SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS

| Chemical Name: | Calcium granules 99.5% -6 Mesh |
|----------------|--------------------------------|
| CAS Number:    | 7440-70-2                      |
| MDL Number:    | MFCD00085314                   |
| EINECS Number: | 231-179-5                      |

Beilstein Registry Number: 4241647

| Molecular Formula: | Ca    |
|--------------------|-------|
| Molecular Weight:  | 40.08 |

<u>Content:</u> As specified in product name.

# **SECTION 4: FIRST AID MEASURES**

| Eye Contact:        | Flush eyes with large amounts of water for fifteen minutes. Separate                 |
|---------------------|--|
| <u>Lye contact.</u> | eyelids with fingers. If irritation persists, seek medical attention.                |
| Skin Contact:       | Wash skin with soap and water. If irritation persists, seek medical attention.       |
| Ingestion:          | Do not induce vomiting. Seek medical attention.                                      |
| Inhalation:         | Move to a fresh air environment. Contact a physician if breathing becomes difficult. |

# **SECTION 5: FIRE FIGHTING MEASURES**

- Flash Point (°C): Not Available
- Explosion Limits: Not Available
- <u>Auto Ignition</u> <u>Temperature (°C):</u>
- Extinguishing Media: Carbon dioxide, dry chemical powder or alcohol-resistant foam. Do not use water spray.
- <u>Protective Equipment:</u> Wear self-contained respirator and fully protective impervious suit.
- <u>Specific Hazards:</u> May emit hazardous fumes under fire conditions. Reacts violently with water.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Not Available

| Personal Protection:      | Wear a self-contained breathing apparatus, rubber boots and gloves,<br>and disposable coveralls. Dispose of coveralls after use. Remove from<br>ignition sources if safe to do so. Follow emergency response plan and<br>contact proper authorities if needed.<br>Keep unprotected persons away. |
|---------------------------|--|
| Environmental Protection: | Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash  |

spill site after material pickup is complete.

# **SECTION 7: HANDLING and STORAGE**

| Handling and Storage:     | Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and<br>eyes. Avoid prolonged or repeated exposure. Use only in a chemical<br>fume hood. Open and handle container with care. Keep ignition sources<br>away.<br>Store in a tightly closed container in a dry, well-ventilated place. Store<br>under inert gas. Store under nitrogen. |
|---------------------------|---|
| Sensitivities:            | Air, Moisture   |
| Storage Temperature (°C): | 15 to 30  |

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| 01011011011010          |  |               |      |               |
|-------------------------|--|---------------|------|---------------|
| Engineering Controls:   | Use product in a well ventilated area or under a fume hood. Use proper lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction. |               |      |               |
| Eye Protection:         | Wear appropriate protective eyeglass or chemical safety goggles. Make sure that there is an eyewash station in your vicinity.  |               |      |               |
| Skin Protection:        | Wear impervious gloves and protective clothing.  |               |      |               |
| Respiratory Protection: | Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced.  |               |      |               |
| Exposure Limits:        | <u>Country</u>   | <u>Source</u> | Туре | Value         |
|                         | USA  | ACGIH         | TWA  | Not Available |
|                         | USA  | OSHA          | STEL | Not Available |
|                         | USA  | OSHA          | PEL  | Not Available |

# **SECTION 9: PHYSICAL and CHEMICAL PROPERTIES**

| Appearance:                        | Soft silver-white metal |
|------------------------------------|-------------------------|
| Odor:                              | Not Available           |
| Odor Threshold:                    | Not Available           |
| Flash Point (°C):                  | Not Available           |
| Auto Ignition<br>Temperature (°C): | Not Available           |
| UEL % by Volume:                   | Not Available           |
| LEL % by Volume:                   | Not Available           |

| Melting Point (°C):                   | 850                         |
|---------------------------------------|-----------------------------|
| Boiling Point (°C):                   | 1484                        |
| Evaporation Rate:                     | Not Available               |
| pH Value:                             | Not Available               |
| Density (g/cm <sup>3</sup> ):         | 1.54                        |
| Refractive Index (n <sup>20</sup> D): | Not Available               |
| <u>Viscosity:</u>                     | Not Available               |
| Solubility in Water:                  | REACTS VIOLENTLY WITH WATER |
| Solubility in Other:                  | Not Available               |
| <u>Vapor Pressure (mmHg):</u>         | Not Available               |
| <u>Vapor Density (Air=1):</u>         | Not Available               |

# **SECTION 10: STABILITY and REACTIVITY**

| Stability:                                  | Stable under normal temperatures and pressures.                                      |
|---|--|
| Incompatibility:                            | Strong oxidizing agents, Alcohols, Water, Alcohols, Bases                            |
| Reactivity:                                 | Product may react with incompatible materials to release other hazardous substances. |
| Conditions to Avoid:                        | Heat, flame, sparks, other ignition sources.   |
| <u>Hazardous</u><br>Decomposition Products: | Calcium oxides   |

# SECTION 11: TOXICOLOGICAL INFORMATION

| RTECS Reference: | EV8040000  |
|------------------|--|
| Target Organs:   | Not Available  |
| Toxicity Data:   | Not Available  |
| Carcinogenicity: | National Toxicology Program (NTP) listed:<br>Not Available |

International Agency for Research on Cancer (IARC) listed: Not Available

Potential Symptoms:

Not Available

# **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity:

Not Available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

# **SECTION 14: TRANSPORT INFORMATION**

| DOT Shipping Name:  | Calcium   |
|---------------------|-----------|
| DOT UN Number:      | UN1401    |
| DOT Hazard Class:   | Class 4.3 |
| DOT Packing Group:  | PGII      |
| IMDG Shipping Name: | Calcium   |
| IMDG UN Number:     | UN1401    |
| IMDG Hazard Class:  | Class 4.3 |
| IMDG Packing Group: | PGII      |
| Marine Pollutant:   | No        |
| IATA Shipping Name: | Calcium   |
| IATA UN Number:     | UN1401    |
| IATA Hazard Class:  | Class 4.3 |
| IATA Packing Group: | PGII      |

# **SECTION 15: REGULATORY INFORMATION**

#### United States

Toxic Substance Control Act (TSCA) listed: Yes

Superfund Amendments and Reauthorization Act (SARA 302) listed: No

Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No Superfund Amendments and Reauthorization Act (SARA 313) listed: No

European Union

European Inventory of Existing Chemical Substances (EINECS): 231-179-5

GHS Classification in accordance with Regulation (EC) No 1272/2008: Yes

<u>Canada</u>

Canadian Domestic Substances List (DSL) listed: Yes

Canadian Non-Domestic Substances List (NDSL) listed: No

# **SECTION 16: OTHER INFORMATION**

#### Date Prepared: 6/21/2023

The information above is presented in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty with respect to such information and we assume no liability resulting from its use. The user should consider this information as a supplement to other information that may be available and make independent judgement to ensure proper use to protect the health and safety of employees and the environment. Pfaltz and Bauer shall not be held liable for any damage resulting from handling or from contact with the above product.