



SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Product Name:

Copper powder electrolytic

Product Code: C25279

- Supplier:Pfaltz & Bauer, Inc.172 E. Aurora StreetWaterbury, CT 06708 USA
- <u>Phone:</u> 203-574-0075
- FAX: 203-574-3181
- Emergency Phone:INFOTRAC, US: 1-800-535-5053INFOTRAC, INTERNATIONAL: +1-352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Statement of Hazard: Flammable solid, Irritant, Respiratory irritant

<u>Acute Health Hazard:</u> Irritant to eyes, skin, mucous membranes and respiratory system. May be harmful by ingestion, skin absorption and inhalation.

Chronic Health Hazard: Not Available

<u>HMIS Rating:</u> H: 1 F: 2 P: 1

<u>NFPA Rating:</u> H: 1 F: 2 R: 1

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

<u>GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):</u> <u>GHS Classification in accordance with Regulation (EC) No 1272/2008:</u>

Acute toxicity, dermal (Category 4), H312 Acute toxicity, inhalation (Category 4), H332 Acute toxicity, oral (Category 4), H302 Flammable solids (Category 1), H228 Serious eye damage/eye irritation (Category 2A), H319 Skin corrosion/irritation (Category 2), H315 Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3), H335

Pictogram:



Signal Word:

Warning

<u>Hazard Statement(s):</u>	H228 Flammable solid. H302 Harmful if swallowed. H312 Harmful in contact with skin.
	H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Precautionary Statement(s):

smoking.

P240 Ground/bond container and receiving equipment.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No

P301+P312 IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS

Chemical Name:	Copper powder electrolytic
CAS Number:	7440-50-8
MDL Number:	MFCD00010965
EINECS Number:	231-159-6
Beilstein Registry Number:	Not Available
Molecular Formula:	Cu
Molecular Weight:	63.55
Content:	As specified in product name.

SECTION 4: FIRST AID MEASURES

Eye Contact:	Flush eyes with large amounts of water for fifteen minutes. Separate eyelids with fingers. If irritation persists, seek medical attention.
Skin Contact:	Wash skin with soap and water. If irritation persists, seek medical attention.
Ingestion:	Do not induce vomiting. Seek medical attention.
Inhalation:	Move to a fresh air environment. Contact a physician if breathing becomes difficult.

SECTION 5: FIRE FIGHTING MEASURES

<u>Flash Point (°C):</u>	Not Available
Explosion Limits:	Not Available
<u>Auto Ignition</u> Temperature (°C):	Not Available

Extinguishing Media: Carbon dioxide, dry chemical powder, alcohol-resistant foam, or water spray

<u>Protective Equipment:</u> Wear self-contained respirator and fully protective impervious suit.

<u>Specific Hazards:</u> May emit hazardous fumes under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

<u>Personal Protection:</u> Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and contact proper authorities if needed. Keep unprotected persons away.

<u>Environmental Protection</u>: Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING and STORAGE

Handling and Storage:	Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away. Store in a tightly closed container in a dry, well-ventilated place.
Sensitivities:	Not Available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Use product in a well ventilated area or under a fume hood. Use proper Engineering Controls: lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction. Wear appropriate protective eyeglass or chemical safety goggles. Make Eye Protection: sure that there is an eyewash station in your vicinity. Wear impervious gloves and protective clothing. Skin Protection: **Respiratory Protection:** Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced. Country Value Exposure Limits: Source Type USA ACGIH TWA Not Available USA Not Available OSHA STEL

OSHA

PEL

Not Available

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

USA

Appearance:	Copper colored powder
<u>Odor:</u>	Odorless
Odor Threshold:	Not Available
Flash Point (°C):	Not Available
<u>Auto Ignition</u> Temperature (°C):	Not Available
UEL % by Volume:	Not Available
LEL % by Volume:	Not Available
Melting Point (°C):	1083-1084
Boiling Point (°C):	2567
Evaporation Rate:	Not Available
pH Value:	Not Available

Density (g/cm ³):	8.94
Refractive Index (n ²⁰ D):	Not Available
Viscosity:	Not Available
Solubility in Water:	Not Available
Solubility in Other:	Not Available
<u>Vapor Pressure (mmHg):</u>	Not Available
Vapor Density (Air=1):	Not Available

SECTION 10: STABILITY and REACTIVITY

Stability:	Stable under normal temperatures and pressures.
Incompatibility:	Acids, Oxidizing agents
Reactivity:	Product may react with incompatible materials to release other hazardous substances.
Conditions to Avoid:	Heat, flame, sparks, other ignition sources.
<u>Hazardous</u> Decomposition Products:	Copper oxides

SECTION 11: TOXICOLOGICAL INFORMATION

RTECS Reference:	GL5325000
Target Organs:	Lungs
Toxicity Data:	Intraperitoneal Mouse LD50 mg/kg: 3.50
Carcinogenicity:	National Toxicology Program (NTP) listed: Not Available
	International Agency for Research on Cancer (IARC) listed: Not Available

Potential Symptoms: Not Available

SECTION 12: ECOLOGICAL INFORMATION

Rainbow trout LC50:

Water flea LC50:

0.04 mg/l - 0.04 hrs.

SECTION 13: DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name:	Metal Powders, Flammable, N.O.S.
DOT UN Number:	UN3089
DOT Hazard Class:	Class 4.1
DOT Packing Group:	PGIII
Reportable Quantity:	5000 lbs
IMDG Shipping Name:	Metal Powders, Flammable, N.O.S.
IMDG UN Number:	UN3089
IMDG Hazard Class:	Class 4.1
IMDG Packing Group:	PGIII
Marine Pollutant:	Yes
IATA Shipping Name:	Metal Powders, Flammable, N.O.S.
IATA UN Number:	UN3089
IATA Hazard Class:	Class 4.1
IATA Packing Group:	PGIII

SECTION 15: REGULATORY INFORMATION

United States

Toxic Substance Control Act (TSCA) listed: Yes Superfund Amendments and Reauthorization Act (SARA 302) listed: No Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No Superfund Amendments and Reauthorization Act (SARA 313) listed: Yes

European Union

European Inventory of Existing Chemical Substances (EINECS): 231-159-6

GHS Classification in accordance with Regulation (EC) No 1272/2008: Yes

<u>Canada</u>

Canadian Domestic Substances List (DSL) listed: Yes

Canadian Non-Domestic Substances List (NDSL) listed: No

SECTION 16: OTHER INFORMATION

Date Prepared: 6/21/2023

The information above is presented in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty with respect to such information and we assume no liability resulting from its use. The user should consider this information as a supplement to other information that may be available and make independent judgement to ensure proper use to protect the health and safety of employees and the environment. Pfaltz and Bauer shall not be held liable for any damage resulting from handling or from contact with the above product.