

SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Product Name: Furan stabilized with 0.025 wt.% BHT

Product Code: F06090

Supplier: Pfaltz & Bauer, Inc.

172 E. Aurora Street

Waterbury, CT 06708 USA

<u>Phone:</u> 203-574-0075

FAX: 203-574-3181

Emergency Phone: INFOTRAC, US: 1-800-535-5053

INFOTRAC, INTERNATIONAL: +1-352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

<u>Statement of Hazard:</u> Environmentally hazardous, Flammable liquid, Irritant, Respiratory

irritant, Toxic

<u>Acute Health Hazard:</u> Irritant to eyes, skin, mucous membranes and respiratory system.

May be toxic by ingestion and inhalation, harmful by skin absorption.

Chronic Health Hazard: Carcinogen, Mutagen, Target organ effect

HMIS Rating: H: 2 F: 4 P: 0

NFPA Rating: H: 2 F: 4 R: 0

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS): GHS Classification in accordance with Regulation (EC) No 1272/2008:

Acute toxicity, dermal (Category 4), H312 Acute toxicity, inhalation (Category 3), H331

Acute toxicity, oral (Category 3), H301

Carcinogenicity (Category 1A), H350

Flammable liquids (Category 1), H224

Germ cell mutagenicity (Category 2), H341

Hazardous to the aquatic environment, acute toxicity (Category 2), H401

Serious eye damage/eye irritation (Category 2A), H319

Skin corrosion/irritation (Category 2), H315

Specific target organ toxicity, repeated exposure (Category 2), H373

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3), H335

Pictogram:







Signal Word:

Danger

<u>Hazard Statement(s):</u> H224 Extremely flammable liquid and vapor.

H301 Toxic if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation. H341 Suspected of causing genetic defects.

H350 May cause cancer.

H373 Causes damage to organs through prolonged or repeated

exposure.

H401 Toxic to aquatic life.

Precautionary Statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. — No

moking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in

a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

insing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS

<u>Chemical Name:</u> Furan stabilized with 0.025 wt.% BHT

Synonyms: Tetrole; Oxole; Divinylene oxide

<u>CAS Number:</u> 110-00-9

MDL Number: MFCD00003222

EINECS Number: 203-727-3

Beilstein Registry Number: 103221

Molecular Formula: C4H4O

Molecular Weight: 68.08

<u>Content:</u> As specified in product name.

SECTION 4: FIRST AID MEASURES

Eye Contact: Flush eyes with large amounts of water for fifteen minutes. Separate

eyelids with fingers. If irritation persists, seek medical attention.

Skin Contact: Wash skin with soap and water. If irritation persists, seek medical

attention.

<u>Ingestion:</u> Do not induce vomiting. Seek medical attention.

<u>Inhalation:</u> Move to a fresh air environment. Contact a physician if breathing

becomes difficult.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point (°C): -36

Explosion Limits: Lower, % by volume: 2.30

Upper, % by volume: 14.30

Auto Ignition

Temperature (°C):

<u>Extinguishing Media:</u> Carbon dioxide, dry chemical powder, alcohol-resistant foam, or water

spray

<u>Protective Equipment:</u> Wear self-contained respirator and fully protective impervious suit.

Specific Hazards: May emit hazardous fumes under fire conditions.

Not Available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Protection: Wear a self-contained breathing apparatus, rubber boots and gloves,

and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and

contact proper authorities if needed. Keep unprotected persons away.

Environmental Protection:

Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING and STORAGE

Handling and Storage: Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and

eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources

away.

Store in a tightly closed container in a dry, well-ventilated place.

Sensitivities: Air, Light

Storage Temperature (°C): 2 to 8

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use product in a well ventilated area or under a fume hood. Use proper

lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction.

<u>Eve Protection:</u> Wear appropriate protective eyeglass or chemical safety goggles. Make

sure that there is an eyewash station in your vicinity.

Skin Protection: Wear impervious gloves and protective clothing.

Respiratory Protection: Use a NIOSH approved respirator when exposure limits are exceeded or

if irritation or other symptoms are experienced.

<u>Exposure Limits:</u> <u>Country</u> <u>Source</u> <u>Type</u> <u>Value</u>

USA ACGIH TWA Not Available
USA OSHA STEL Not Available
USA OSHA PEL Not Available

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

<u>Appearance:</u> Colorless liquid

Odor: Not Available

Odor Threshold: Not Available

Flash Point (°C): -36

<u>Auto Ignition</u>

Not Available

Temperature (°C):

UEL % by Volume: 14.30

LEL % by Volume: 2.30

Melting Point (°C): -86

Boiling Point (°C): 31-33

<u>Evaporation Rate:</u> Not Available

pH Value: Not Available

<u>Density (g/cm³):</u> 0.936

Refractive Index $(n^{20}D)$: 1.4220

<u>Viscosity:</u> Not Available

Solubility in Water: Insoluble

Solubility in Other: Soluble in Alcohol, Ether

Vapor Pressure (mmHq): 493

Vapor Density (Air=1): 2.35

SECTION 10: STABILITY and REACTIVITY

<u>Stability:</u> Stable under normal temperatures and pressures.

<u>Incompatibility:</u> Strong oxidizing agents, Acids

Reactivity: Product may react with incompatible materials to release other

hazardous substances.

<u>Conditions to Avoid:</u> Heat, flame, sparks, other ignition sources.

<u>Hazardous</u> Carbon oxides

Decomposition Products:

SECTION 11: TOXICOLOGICAL INFORMATION

RTECS Reference: LT8524000

<u>Target Organs:</u> Liver, Central nervous system, Gastrointestinal tract

Toxicity Data: Oral Rat LD₅₀ mg/kg: 300.00

Intraperitoneal Rat LD₅₀ mg/kg: 5.20 Intraperitoneal Mouse LD₅₀ mg/kg: 7.00

<u>Carcinogenicity:</u> National Toxicology Program (NTP) listed:

Not Available

International Agency for Research on Cancer (IARC) listed: Not

Available

<u>Potential Symptoms:</u> Not Available

SECTION 12: ECOLOGICAL INFORMATION

<u>Toxicity:</u> Not Available

SECTION 13: DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Furan

DOT UN Number: UN2389

<u>DOT Hazard Class:</u> Class 3

DOT Packing Group: PGI

Reportable Quantity: 100 lbs

IMDG Shipping Name: Furan

IMDG UN Number: UN2389

IMDG Hazard Class: Class 3

IMDG Packing Group: PG I

Marine Pollutant: Yes

<u>IATA Shipping Name:</u> Furan

IATA UN Number: UN2389

IATA Hazard Class: Class 3

IATA Packing Group: PG I

SECTION 15: REGULATORY INFORMATION

United States

Toxic Substance Control Act (TSCA) listed: Yes

Superfund Amendments and Reauthorization Act (SARA 302) listed: Yes

Superfund Amendments and Reauthorization Act (SARA 311/312) listed: Yes

Superfund Amendments and Reauthorization Act (SARA 313) listed: Yes

European Union

European Inventory of Existing Chemical Substances (EINECS): 203-727-3

GHS Classification in accordance with Regulation (EC) No 1272/2008: Yes

Canada

Canadian Domestic Substances List (DSL) listed: Yes

Canadian Non-Domestic Substances List (NDSL) listed: No

SECTION 16: OTHER INFORMATION

Date Prepared: 6/21/2023

The information above is presented in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty with respect to such information and we assume no liability resulting from its use. The user should consider this information as a supplement to other information that may be available and make independent judgement to ensure proper use to protect the health and safety of employees and the environment. Pfaltz and Bauer shall not be held liable for any damage resulting from handling or from contact with the above product.