

SEC11A Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20099c

Specification

SEC11A Antibody (Center) - Product Information

Application WB,E Primary Accession P67812

Other Accession POC7V7, P42667,

09R0P6, P67810,

NP 055115.1

Reactivity Human

Predicted Bovine, Mouse,

Rat

Host Rabbit
Clonality Polyclonal
Isotype Rabbit Ig
Antigen Region 95-123

SEC11A Antibody (Center) - Additional Information

Gene ID 23478

Other Names

Signal peptidase complex catalytic subunit SEC11A, Endopeptidase SP18, Microsomal signal peptidase 18 kDa subunit, SPase 18 kDa subunit, SEC11 homolog A, SEC11-like protein 1, SPC18, SEC11A, SEC11L1, SPC18, SPCS4A

Target/Specificity

This SC11A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 95-123 amino acids from the Central region of human SC11A.

Dilution


WB~~1:1000

Format


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2




SEC11A Antibody (Center) (Cat. #AP20099c) western blot analysis in HepG2 cell line lysates (35ug/lane). This demonstrates the SC11A antibody detected the SEC11A protein (arrow).



Anti-SEC11A Antibody (Center) at 1:1000 dilution + MCF-7 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution.

Predicted band size: 21 kDa

Blocking/Dilution buffer: 5% NFDM/TBST.





Tel: 858.875.1900 Fax: 858.622.0609

weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SEC11A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

SEC11A Antibody (Center) - Protein Information

Name SEC11A

Synonyms SEC11L1, SPC18, SPCS4A

Function

Component of the microsomal signal peptidase complex which removes signal peptides from nascent proteins as they are translocated into the lumen of the endoplasmic reticulum.

Cellular Location

Microsome membrane; Single-pass type II membrane protein. Endoplasmic reticulum membrane; Single-pass type II membrane protein

SEC11A Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cvtometv
- Cell Culture

SEC11A Antibody (Center) - Background

Component of the microsomal signal peptidase complex which removes signal peptides from nascent proteins as they are translocated into the lumen of the endoplasmic reticulum (By similarity).

SEC11A Antibody (Center) - References

Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007)

Dodson, G., et al. Curr. Opin. Struct. Biol. 8(2):189-194(1998)