

ABL2 Antibody (R432)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP3018b

Specification

ABL2 Antibody (R432) - Product Information

Application WB,E
Primary Accession P42684

Other Accession Q4JIM5, P00520, P00519, F8W508

Reactivity Human

Predicted Zebrafish, Mouse

Host Rabbit
Clonality Polyclonal
Isotype Rabbit Ig
Calculated MW 128343
Antigen Region 417-446

ABL2 Antibody (R432) - Additional Information

Gene ID 27

Other Names

Abelson tyrosine-protein kinase 2, Abelson murine leukemia viral oncogene homolog 2, Abelson-related gene protein, Tyrosine-protein kinase ARG, ABL2, ABLL, ARG

Target/Specificity

This ABL2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 417-446 amino acids from human ABL2.

Dilution


WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.



ABL2 non P-specific Pab (Cat.#AP3018b) western blot analysis in Y79 cell line lysates (35ug/lane). ABL2(arrow) was detected using the purified Pab.

ABL2 Antibody (R432) - Background

ABL2 is a cytoplasmic tyrosine kinase which is closely related to but distinct from ABL1. The similarity of the proteins includes the tyrosine kinase domains and extends amino-terminal to include the SH2 and SH3 domains. ABL2 is expressed in both normal and tumor cells. The ABL2 gene product is expressed as two variants bearing different amino termini, both approximately 12-kb in length. The peptide used to generate this antibody is 100% conserved between ABL2 and ABL1.

ABL2 Antibody (R432) - References

Cao, C., et al., Biochemistry 42(35):10348-10353 (2003).
Cao, C., et al., J. Biol. Chem. 278(32):29667-29675 (2003).
Kruh, G.D., et al., Proc. Natl. Acad. Sci. U.S.A. 87(15):5802-5806 (1990).
Kruh, G.D., et al., Science 234(4783):1545-1548 (1986).
Bianchi, C., et al., FEBS Lett. 527 (1-3), 216-222 (2002).



Precautions

ABL2 Antibody (R432) is for research use only and not for use in diagnostic or therapeutic procedures.

ABL2 Antibody (R432) - Protein Information

Name ABL2


Synonyms ABLL, ARG

Function

Non-receptor tyrosine-protein kinase that plays an ABL1- overlapping role in key processes linked to cell growth and survival such as cytoskeleton remodeling in response to extracellular stimuli, cell motility and adhesion and receptor endocytosis. Coordinates actin remodeling through tyrosine phosphorylation of proteins controlling cytoskeleton dynamics like MYH10 (involved in movement); CTTN (involved in signaling); or TUBA1 and TUBB (microtubule subunits). Binds directly F-actin and regulates actin cytoskeletal structure through its F-actin- bundling activity. Involved in the regulation of cell adhesion and motility through phosphorylation of key regulators of these processes such as CRK, CRKL, DOK1 or ARHGAP35. Adhesion-dependent phosphorylation of ARHGAP35 promotes its association with RASA1, resulting in recruitment of ARHGAP35 to the cell periphery where it inhibits RHO. Phosphorylates multiple receptor tyrosine kinases like PDGFRB and other substrates which are involved in endocytosis regulation such as RIN1. In brain, may regulate neurotransmission by phosphorylating proteins at the synapse. ABL2 acts also as a regulator of multiple pathological signaling cascades during infection. Pathogens can highjack ABL2 kinase signaling to reorganize the host actin cytoskeleton for multiple purposes, like facilitating intracellular movement and host cell exit. Finally, functions as its own regulator through autocatalytic activity as well as through phosphorylation of its inhibitor, ABI1.

Cellular Location Cytoplasm, cytoskeleton.

Tissue Location





Widely expressed.

ABL2 Antibody (R432) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture