

Phospho-mouse TSC1(S387) Blocking Peptide
Synthetic peptide
Catalog # BP3814a**Specification****Phospho-mouse TSC1(S387) Blocking Peptide - Product Information**

Primary Accession [Q9EP53](#)
Other Accession [Q9Z136](#),
[NP_075025.2](#)

Phospho-mouse TSC1(S387) Blocking Peptide - Additional Information

Gene ID 64930

Other Names

Hamartin, Tuberous sclerosis 1 protein homolog, Tsc1, Kiaa0243

Target/Specificity

The synthetic peptide sequence is selected from aa 382-395 of MOUSE Tsc1

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

Phospho-mouse TSC1(S387) Blocking Peptide - Protein Information

Name Tsc1

Synonyms Kiaa0243

Function

In complex with TSC2, inhibits the nutrient-mediated or growth

Phospho-mouse TSC1(S387) Blocking Peptide - Background

In complex with TSC2, inhibits the nutrient-mediated or growth factor-stimulated phosphorylation of S6K1 and EIF4EBP1 by negatively regulating mTORC1 signaling (By similarity). Implicated as a tumor suppressor. Involved in microtubule-mediated protein transport, but this seems to be due to unregulated mTOR signaling (By similarity).

Phospho-mouse TSC1(S387) Blocking Peptide - References

Kladney, R.D., et al. Cancer Res. 70(21):8937-8947(2010)
Sathaliyawala, T., et al. Immunity 33(4):597-606(2010)
Scott, C.L., et al. Am. J. Physiol. Lung Cell Mol. Physiol. 299 (4), L455-L471 (2010) :
Bartolome, A., et al. Endocrinology 151(7):3084-3094(2010)
Squarize, C.H., et al. PLoS ONE 5 (5), E10643 (2010) :

factor-stimulated phosphorylation of S6K1 and EIF4EBP1 by negatively regulating mTORC1 signaling (By similarity). Implicated as a tumor suppressor. Involved in microtubule-mediated protein transport, but this seems to be due to unregulated mTOR signaling (PubMed:16707451). Acts as a co-chaperone for HSP90AA1 facilitating HSP90AA1 chaperoning of protein clients such as kinases, TSC2 and glucocorticoid receptor NR3C1 (PubMed:29127155). Increases ATP binding to HSP90AA1 and inhibits HSP90AA1 ATPase activity (PubMed:29127155). Competes with the activating co-chaperone AHSA1 for binding to HSP90AA1, thereby providing a reciprocal regulatory mechanism for chaperoning of client proteins (By similarity). Recruits TSC2 to HSP90AA1 and stabilizes TSC2 by preventing the interaction between TSC2 and ubiquitin ligase HERC1 (By similarity).

Cellular Location

Cytoplasm

{ECO:0000250|UniProtKB:Q92574}.

Membrane

{ECO:0000250|UniProtKB:Q92574};

Peripheral membrane protein

{ECO:0000250|UniProtKB:Q92574}.

Note=At steady state found in association with membranes.

{ECO:0000250|UniProtKB:Q92574}

Phospho-mouse TSC1(S387) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)