

Anti-DCBLD2 / ESDN Reference Antibody (FA19-1)
Recombinant Antibody
Catalog # APR10442**Specification**

Anti-DCBLD2 / ESDN Reference Antibody (FA19-1) - Product Information


Application	FC, Kinetics, Animal Model
Primary Accession	Q96PD2
Reactivity	Human, Mouse
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	150 KDa

Anti-DCBLD2 / ESDN Reference Antibody (FA19-1) - Additional Information**Target/Specificity**
DCBLD2 / ESDN**Endotoxin**
< 0.001EU/ µg,determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Anti-DCBLD2 / ESDN Reference Antibody (FA19-1) - Protein Information****Name** DCBLD2**Synonyms** CLCP1, ESDN**Cellular Location**
Membrane; Single- pass type I membrane protein**Tissue Location**
Highly expressed in testis, heart, skeletal muscle and also in cultured vascular smooth muscle cells**Anti-DCBLD2 / ESDN Reference Antibody (FA19-1) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-DCBLD2 / ESDN Reference Antibody (FA19-1) - Images



Anti-DCBLD2 / ESDN Reference Antibody (FA19-1) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-DCBLD2 / ESDN Reference Antibody (FA19-1) is more than 95% ,determined by SEC-HPLC.