

Anti-Phospho Cyclin C (Ser275) CCNC Antibody

Catalog Number: P05832

Overview

Product Name	Anti-Phospho Cyclin C (Ser275) CCNC Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Phospho Cyclin C (Ser275) CCNC Antibody (Catalog# P05832). Tested in WB, IHC-P, IF (paraffin), ELISA applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, IHC-P, WB, IF (paraffin)
Clonality	Polyclonal CA-20
Formulation	PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage Instructions	Store at -20°C for one year. For short-term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P24863

Technical Details

Immunogen	A peptide derived from human Cyclin C around the phosphorylation site of Ser275. Immunogen sequence location: 234-283
Predicted Reactive Species	Human
Isotype	Rabbit IgG
Form	Liquid
Concentration	0.5-1mg/ml, actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	The antibody was purified from rabbit antiserum by affinity-chromatography using phospho peptide. The antibody against non-phospho peptide was removed by chromatography using corresponding non-phospho peptide.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western Blot, 1:500 - 1:2000 Immunohistochemistry, 1:100 - 1:300 ELISA, 1:10000




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


Not yet tested in other applications.



Anti-Phospho Cyclin C (Ser275) CCNC Antibody (P05832) Images



Western blot analysis of lysates from NIH/3T3 cells treated with UV 15', using Cyclin C (Phospho-Ser275) Antibody. The lane on the right is blocked with the phospho peptide.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using Cyclin C (Phospho-Ser275) Antibody. The picture on the right is blocked with the phospho peptide.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Phospho Cyclin C (Ser275) CCNC Antibody