

## Recombinant Herpes Simplex Virus-2 gG (aa 525-578) GST

Catalog No.	CSI15835A	Quantity:	100 µg
	CSI15835B		0.5 mg
	CSI15835C		1.0 mg

**Description:** Entry of HSV into the host cell involves interactions of several viral glycoproteins with cell surface receptors. The virus particle is covered by an envelope which, when bound to specific receptors on the cell surface, will fuse with the cell membrane and create an opening, or pore, through which the virus enters the host cell. The sequential stages of HSV entry are analogous to those of other viruses. At first, complementary receptors on the virus and cell surface bring the two membranes into proximity. In an intermediate state, the two membranes begin to merge, forming a hemifusion state. Finally, a stable entry pore is formed through which the viral envelope contents are introduced to the host cell.

The *E. coli* derived recombinant protein contains the HSV-2 gG immunodominant regions, 525-578 amino acids, the total MW is 32,100 Dalton, fused with 26 kDa GST-tag

**Source:** *E. coli*

**Formulation:** 0.1% SDS + 100 mM NaCl + 50% glycerol.

**Purity:** HSV-2 gG protein is >95% pure as determined by 10% PAGE (coomassie staining).

**Purification Method:** HSV-2 gG protein was purified by proprietary chromatographic technique.

**Specific Activity:** Immunoreactive with sera of HSV-infected individuals.

**Storage & Stability:** HSV-2 gG protein although stable at 4°C for 1 week, should be stored below -18°C.  
**Please prevent freeze thaw cycles.**

**Applications:** HSV-2 gG antigen is suitable for ELISA and Western blots, excellent antigen for detection of HSV with minimal specificity problems.

**NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.**

