

Mouse Anti-MCAM Monoclonal Antibody

CAB-744MH Mouse(MCAM) Lot. No. (See product label)

PRODUCT INFORMATION

Product Overview Mouse Anti-MCAM Monoclonal Antibody

The CD146 antigen, also known as MCAM, is an integral membrane glycoprotein belonging to the Antigen Description

immunoglobulin superfamily. CD146 contains the characteristic immunoglobulin-like domains (V-V-C2-C2-C2), a transmembrane region and a short cytoplasmic tail. The CD146 expression is detected in endothelial cells in vascular tissue throughout the body, and plays a role in cell adhesion, as well as in cohesion of the endothelial monolayer at intercellular junctions in vascular tissue. As a Ca2+ independent cell adhesion molecule involved in heterophilic cell to cell interactions and a surface receptor, CD146 triggers tyrosine phosphorylation of FYN and PTK2 and subsequently induced signal transduction, proteolysis, or immune recognition. CD146 is expressed predominantly on metastatic lesions and advanced primary tumours, and has been suggested to play an important role in tumour

progression and the development of metastasis in certain human carcinomas.

specificity

Human CD146/MCAM, no cross-reactivity in ELISA with Human CD66a/CEACAM1, Human CD166/alcama, Human CD106/VCAM1, Human CD226/DNAM-1, Human BCAM/CD239, Human cell

lysate (293 cell line).

Target **MCAM**

Immunogen Recombinant human CD146 protein

Host Mouse Mouse IgG Isotype **Species** Human Clone **MAFB4457**

N/A conjugation **Applications** N/A

Preparation This antibody was obtained from a rabbit immunized with purified, human cell-derived, recombinant

human CD146 / MCAM extracellular domain (Met 1-Gly 559).

PACKAGING

0.2µm filtered solution in PBS with 5% trehalose. **Format**

This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -70°C. Preservative Storage

-Free. Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is

toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

ANTIGEN GENE INFORMATION

Gene Name MCAM melanoma cell adhesion molecule [Homo sapiens]

Official Symbol **MCAM**

MCAM; melanoma cell adhesion molecule; cell surface glycoprotein MUC18; CD146; Gicerin; MUC18; melanoma adhesion molecule; cell surface glycoprotein P1H12; melanoma-associated antigen A32; Synonyms

melanoma-associated antigen MUC18; S-endo 1 endothelial-associated antigen;



GeneID 4162

mRNA Refseq NM_006500

Protein Refseq NP_006491

 MIM
 155735

 UniProt ID
 P43121

 Chromosome Location
 11q23.3