

Immunotag™ TLR9 Antibody

Antibody Specification	
Catalog No.	ITA3860
Product Description	Immunotag™ TLR9 Antibody
Size	100 µg, 200 µg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	TLR9
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,IHC,IF/ICC,ELISA
Recommended Dilution	WB 1:1000-3000 IHC 1:500-1:2000 IF 1:100-1:500
Concentration	1 mg/ml
Reactive Species	Human,Mouse,Rat
Host Species	Rabbit
Immunogen	A synthesized peptide derived from human TLR9
Specificity	TLR9 Antibody detects endogenous levels of total TLR9
Purification	The antiserum was purified by peptide affinity chromatography.
Form	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.Store at -20 °C.Stable for 12 months from date of receipt
Gene Name	TLR9
Accession No.	Q9NR96
Alternate Names	CD 289; CD289; TLR 9; TLR9; TLR9_HUMAN; Toll like receptor 9; Toll like receptor 9 isoform A precursor; Toll like receptor 9 isoform B; Toll-like receptor 9;

Antibody Specification

Description	Key component of innate and adaptive immunity. TLRs (Toll-like receptors) control host immune response against pathogens through recognition of molecular patterns specific to microorganisms. TLR9 is a nucleotide-sensing TLR which is activated by unmethylated cytidine-phosphate-guanosine (CpG) dinucleotides. Acts via MYD88 and TRAF6, leading to NF-kappa-B activation, cytokine secretion and the inflammatory response (PubMed:11564765, PubMed:17932028). Controls lymphocyte response to Helicobacter infection (By similarity). Upon CpG stimulation, induces B-cell proliferation, activation, survival and antibody production (PubMed:23857366).
Cell Pathway/ Category	Primary Polyclonal Antibody
Protein MW	117KD
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.