NKMAXBIO We support you, we believe in your research

Human Leptin/OB antibody

Catalog Number: ATGA0536

PRODUCT INFORMATION

Catalog number

ATGA0536

Clone No.

AT7E10

Product type

Monoclonal antibody

UnitProt No.

P41159

NCBI Accession No.

NP 000221

Alternative Names

LEP, OB, OBS, Leptin, Obesity factor, Obese protein, Leptin, Leptin Murine Obesity Homolog, LeptinPrecursor Obesity Factor, Obesity homolog mouse, Obesity Murine Homolog Leptin,

Additional Information

This product was produced from tissue culture supernatant.

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human Leptin/OB (22-167aa) purified from E. coli.

Isotype

IgG2b kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, ICC/IF

Usage

The antibody has been tested by ELISA, Western blot and ICC/IF analysis to assure specificity and reactivity.



NKMAXBIO We support you, we believe in your research

Human Leptin/OB antibody

Catalog Number: ATGA0536

Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


Human leptin is a 16-kDa nonglycosylated hormone that is produced in mature adipocytes. Leptin acts primarilyin the hypothalamus to reduce food intake and body weight. In ob/ob mice, the gene encoding leptin is mutated, resulting in morbid obesity and associated abnormalities, including hyperphagia, hypothermia, diabetes and infertility. The function of leptin in regulating appetite and metabolism, as well as the possibility of usingleptin as a therapeutic agent, are currently under intense investigation.

General References

Anini Y., et al. (2003) Diabetes. 52(2): 252-259. Jeong KJ., et al. (1999) Appl Environ Microbiol. 65(7): 3027-32. Hyogo H., et al. (2002) J. Biol. Chem. 277(37): 34117-34124.

DATA

Western blot analysis (WB)



The cell lysates(40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human Leptin/OB antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: 293T cell lysate

Lane 2.: Leptin/OB Transfected 293T cell lysate


Immunocytochemistry/Immunofluorescence (ICC/IF)



NKMAXBio We support you, we believe in your research

Human Leptin/OB antibody

Catalog Number: ATGA0536



ICC/IF analysis of Leptin/OB in HeLa cells. The cell was stained with ATGA0536 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

