Human IL-12 Protein (IL12A & IL12B Heterodimer) Protein (His Tag)

Catalog Number: CT050-H08H



General Information

Gene Name Synonym:

CLMF; CLMF2; IL-12A; IL-12B; IL12; IL12 p70; IMD28; IMD29; NFSK;

NKSF; NKSF1; NKSF2; P35

Protein Construction:

A DNA sequence encoding the human IL12 complex composed of IL12B (NP_002178.2) (Met1-Ser328) and the mature form of human IL12A (P29459-1)(Arg23-Ser219) linked by a polypeptide linker was fused with a polyhistidine tag at the C-terminus.

Source: Human

Expression Host: HEK293 Cells

QC Testing

Purity: > 95 % as determined by SDS-PAGE.

Bio-activity:

Measured by its ability to induce Interferon gamma secretion by human natural killer lymphoma NK-92 cells. The ED $_{50}$ for this effect is 0.2-2 ng/mL.

Endotoxin:

< 1.0 EU per μ g protein as determined by the LAL method.

Stability:

Samples are stable for up to twelve months from date of receipt at -70 °C

Predicted N terminal: lle 23

Molecular Mass:

The recombinant human consists 529 amino acids and predicts a molecular mass of 59.6 kDa.

Formulation:

Lyophilized from sterile PBS, pH 7.4

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

Usage Guide

Storage:


Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage.

Avoid repeated freeze-thaw cycles.

Reconstitution:

Detailed reconstitution instructions are sent along with the products.

SDS-PAGE:



Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

For US Customer: Fax: 267-657-0217 • Tel: 215-583-7898

Global Customer: Fax :+86-10-5862-8288 • Tel:+86-400-890-9989 • http://www.sinobiological.com