


Anti-Ribosomal Protein L17 antibody



Description Rabbit polyclonal to Ribosomal Protein L17.

Model STJ95463

Host Rabbit

Reactivity Human, Mouse, Rat, Simian

Applications ELISA, IHC, WB

Immunogen Synthesized peptide derived from human Ribosomal Protein L17

Immunogen Region 70-150 aa, Internal

Gene ID <u>6139</u>

Gene Symbol RPL17

Dilution range WB 1:500-1:2000IHC 1:100-1:300ELISA 1:10000

Specificity Ribosomal Protein L17 Polyclonal Antibody detects endogenous levels of

Ribosomal Protein L17 protein.

Tissue Specificity Expressed in pancreas, lung, colon, cystic duct, gall bladder, kidney and liver.

Expressed at high levels in the well differentiated pancreatic tumor cell lines HPAF, COLO 357 and Capan-1, the moderately differentiated pancreatic tumor cell lines T3M-4, AsPc-1 and BxPc-3, the poorly differentiated pancreatic tumor cell line MIA PaCa-2, and the pancreatic tumor cell lines of

undefined differentiation status such as SW979. Expressed at lower levels in the poorly differentiated pancreatic tumor cell lines HCG

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name 60S ribosomal protein L17 60S ribosomal protein L23 Large ribosomal

subunit protein uL22 PD-1

Molecular Weight 24 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:10307OMIM:603661</u>

Alternative Names 60S ribosomal protein L17 60S ribosomal protein L23 Large ribosomal

subunit protein uL22 PD-1

Function Component of the large ribosomal subunit.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T+44 (0)208 223 3081

W http://www.stjohnslabs.com/

E info@stjohnslabs.com